

INSPIRATIONAL DOORS. **Undeniable value.**

Door Collection 2018

www.jbkind.com



Our 2018 Door Collection showcases the diversity of our designs, finishes and styles. From firm favourites to innovative new doors, our trademark professional advice helps ensure your door purchase is supported every step of the way. Plus, many of our 200+ door designs are exclusive to JB Kind, so you won't find them anywhere else.

Our incredibly popular Laminates range has expanded (pages 54-59), thanks to its versatility, durability, consistency of finish and value for money. The new laminate doors include cottage style oak and grey timber effect finishes, as well as an American inspired Alabama design that is available in two on-trend colours. There is also our new Pintado painted grey door, a minimalist, grey flush design (page 60). Of course, we've still included all our most popular ranges and the outstanding External Extreme door range (pages 92-95).

Look out for our useful 'At a Glance' guides, which help make it easier to locate those products that have bespoke options, can be rebated into door pairs and our comprehensive fire door service. You'll also find information on space saving pocket door systems and internal doorsets.

Whatever your budget or design dream, we'll have the doors to suit your style.

Architects, Specifiers and Designers

Our dynamic door designs offer undeniable value as well as compliance with a wide range of UK and European industry standards. From fire protection and thermal insulation to renewable resources and disabled access, you can rely on JB Kind to provide the quality standards you need. We have recognised third party accreditation from schemes such as BWF-CERTIFIRE and FSC® chain of custody.

If you have any questions or need some expert advice, don't hesitate to call us on 01283 554197.

Our dedication to meeting the highest standards for our customers is illustrated by our continuous achievement of the UK quality award ISO9001. Certificate number: Q 09320





Contents

Ielping You Choose	pages 4-5	Oak Shaker	pages 38-41	Doo
ocket Door Systems	pages 6-9	Oak Cottage	pages 42-47	Exte
Bespoke Options	pages 10-13	Walnut	pages 48-53	Tim
Bespoke Options	pages 10-11	Laminates	pages 54-59	Esse
Door Sets	pages 12-13	Painted Finish	pages 60-65	FSC
Rebated Door Pairs	page13	White Contemporary	pages 66-75	Fire
nternal Doors	pages 14-89	White Classic	pages 76-81	Whe
Oak Contemporary	pages 14-27	White Shaker	pages 82-87	Sho
Oak Classic	pages 28-37	White Cottage	pages 88-89	

Door Furniture	pages 90-9 ⁻
External Doors	pages 92-9
Timber Accessories	page 96
Essential Door Care	page 97
FSC® Certified	page 97
Fire Door Information	page 98
Where to Buy	page 99
Showroom	page 99













STEP 1

Choose your preferred door style

Browse through and select your favourite door designs, colours and finishes. Not forgetting, a matching glazed partner, should you wish to add some extra light. Take inspiration from our Gallery of lifestyle images online at jbkind.com

STEP 2

Check the sizes available

If one of our standard door sizes does not fit your requirements, check if a special size can be ordered through our BS Bespoke Options service, pages 10-11.



STEP 3

Consider how the doors will be fitted

- Do you need any door pairs?
 If so, take a look at our Door Pair rebating service p13.
- Would a Pocket Door System help create some extra space? Ideal for renovation and new build projects, see pages 6-9.
- Will you require any fire doors?
 Virtually all of our door designs offer an FD30 fire door option. See p98.
- A pre-hung Doorset complete with frame and ironmongery could be better suited to your project. If so, see pages 12-13.
- Ensuites, wardrobes and cupboards often require a space saving solution. Consider a matching bi-fold option, pocket door system or invest in some sliding door tracking.

STEP 4

Pick the right handle

A stylish handle really does finish off a door. Take a look at our Door Handle Packs, pages 90-91, supplied with everything you need to fit a door.

STFP 5

Price up your doors

JB Kind's doors can be purchased through Builders Merchants and Door Retailer partners across the UK, any of which will be happy to provide a quote.

Either call us on **01283 554197** for details of your local supplier or visit our online Supplier Locator at **jbkind.com**.

Alternatively you can Buy Online via one of our approved Online Partners and your doors will just be a click away.

Product key features

To help make your door decisions easier, the key features of each product have been included adjacent to the individual door image. Please refer to this handy set of icons as you browse through the brochure.



Bespoke Options available, see pages 10-11



FD30 fire doors available from stock



Solid core construction



Semi-solid core construction



Standard core construction

For definitions of the most commonly used door terminology, see our Glossary of Terms online at jbkind.com

Door finishes

Our doors are available in the following finishes:

Wood veneer







Door styles

To help select your favourite door designs our collection has been arranged in the following styles:

Classic









Measuring up

To make sure you purchase the right door sizes, take the following measurements.

Door width: measure the top, middle and bottom of the door frame. The widest measurement determines the width of the door.

Door height: measure inside the vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering.

NB. You can plane door edges slightly to reduce the size. If required, please call us for details of the lipping size.



Door size conversion chart

A little help if you need to work out the metric and imperial equivalent for door sizes.

HEIGHT & WI	DTH	
Metric (mm)	Imperial (inches)	Imperial (feet & inches)
1981 x 457	78" x 18"	6'6" x 1'6"
1981 x 533	78" x 21"	6'6" x 1'9"
1981 x 610	78" x 24"	6'6" x 2'0"
1981 x 686	78" x 27"	6'6" x 2'3"
1981 x 711	78" x 28"	6'6" x 2'4"
1981 x 762	78" x 30"	6'6" x 2'6"
1981 x 838	78" x 33"	6'6" x 2'9"
1981 x 915	78" x 36"	6'6" x 3'0"
1981 x 1067	78" x 42"	6'6" x 3'6"
1981 x 1168	78" x 46"	6'6" x 3'10"
1981 x 1220	78" x 48"	6'6" x 4'0"
1981 x 1372	78" x 54"	6'6" x 4'6"
1981 x 1524	78" x 60"	6'6" x 5'0"
2032 x 813	80" x 32"	6'8" x 2'8"
2134 x 915	84" x 36"	7′0″ x 3′0″
2040 x 526	80¼" x 20 ¹¹ / ₁₆ "	6'8¼" x 1'8 ¹¹ / ₁₆ "
2040 x 626	80¼ x 245/8″	6'8¼" x 2'05/8"
2040 x 726	80¼ x 285/8"	6'8¼" x 2'45/8"
2040 x 826	80¼ x 32½″	6′8¼″ x 2′8½″
2040 x 926	80¼" x 36 ⁷ / ₁₆ "	6′8¼″ x 3′0 ⁷ / ₁₆ ″



Easy to install* with a rigid frame, our pocket door systems are supplied pre-assembled so that they can be fitted in half the time of other brands.


Available for both single and double door situations in a selection of sizes, almost all of JB Kind's internal doors are suitable for use as a pocket door. You can also choose from a selection of pocket door accessories too!

Key features:

- Easy to install* rigid frame, supplied pre-assembled
- Fitted in half the time of other brands
- Designed for stud and plasterboard
- Door is fitted after all installation and decoration has been completed, avoiding any potential damage to your door.
- Door choice can be changed in the future without structural alteration to the wall.
- Compatible sliding door hardware available
- Available in single and double format

*We always recommend using a professional fitter.





Product info:

- The cassette structure is made from 0.5mm galvanised steel
- The cassette sides are formed from single pieces of pressed steel which is corrugated for complete stability
- Transverse ribs fixed to the corrugations further re-inforce the structure and allow fixing of plasterboard direct to the cassette
- Twin spacer bars are supplied that are fixed between the cassette and jamb during installation to ensure the structure remains square
- The internal pocket cavity is protected by a cover during installation
- Suits door thickness 35mm





STFP ONF

Single or Double Pocket Door System

Use our size guide tables to check your requirements. For a double pocket door, you will need to purchase two single pocket door systems and a double leaf conversion kit.

STEP TWO

Choose your door design

The majority of our door designs are suitable for use as pocket doors. However, some doors that have raised mouldings and 44mm fire doors are not suitable. Please get in touch if you're in any doubt.

STEP THREE

Timber accessory kits

You will need an accessory kit as the pocket door system cannot be installed without one. Choose from either white primed or varnished oak, available for both single and double options.

STEP FOUR

Door Grooving

The bottom edge of the door will need to be grooved to fit in the floor guide of a pocket system. If required, our in-house joinery workshop can pre-groove your doors prior to delivery.

STEP FIVE:

Optional accessories

Automatic Door Closer: is a self-closing system that enables the door to glide into place automatically after being opened.

Double simultaneous operator: enables a double pocket door to open and close simultaneously.

Soft-close damper unit: applies a brake making sure that the door moves slowly and smoothly to a close.

STEP SIX:

Door furniture

Choose from either a bathroom privacy lock or flush door pull.

STEP SEVEN:

Finding a JB Kind door supplier

Take a look at the Supplier Locator on our website or approved Online Partners. Once you've chosen a place to purchase from, then just hand over all of your requirements and your doors and pocket systems should be with you in no time!

If you do have any questions, our expert JB Kind team is on hand to help you out, just call 01283 554197 or email info@jbkind.com

Timber Accessory Kits

Available in either white primed or varnished oak, Accessory Kits are required to complete pocket door installation.






	Code
White primed – single pocket door kit	SGLWPRIAC
White primed – double pocket door kit	DBLWPRIAC
Oak varnished – single pocket door kit	SGLVOAC
Oak varnished – double pocket door kit	DBLVOAC

Additional Accessories




	Code
Soft close damper unit	SCDAMPER
Automatic door closer	ACLOSER
Double simultaneous operator	DBLSIM0P
Flush Door Pull Pack (satin stainless steel, includes 2 circular flush pulls and a round finger pull for the door edge)	CIRCPULL
Bathroom Door Hook Lock Pack (satin stainless steel, includes turn and release, hook latch, adjustable keep and finger pull)	CIRCBATHLOCK



Single Pocket Door - Size Guide

mm	Door Si	ze	Clear Ope	ening Size ough area)	Structu Size of	ral Opening the Unit	Finished Wall Thickness
Single pocket door system code	Width	Height	Width (OW)	Height (OH)	Width (SW)	Height (SH)	
POCSYSSGL686	686	1981	650	1970	1425	2075	125
POCSYSSGL762	762	1981	740	1970	1625	2075	125
POCSYSSGL838	838	1981	800	1970	1725	2075	125
POCSYSSGL915	915	1981	890	1970	1925	2075	125



Double Pocket Door – Size Guide

To create a double pocket door you will need to purchase two single pocket door systems and a double leaf conversion kit. Easy to assemble without requiring any modifications, the conversion kit includes a double top rail and two spacers.

mm	Door Si (individ		Clear Ope	ening Size ough area)		ral Opening the Unit	Finished Wall Thickness
Double leaf conversion kit code	Width	Height	Width (OW)	Height (OH)	Width (SW)	Height (SH)	
DBLLEAFKIT686	686	1981	1300	1970	2742	2075	125
DBLLEAFKIT762	762	1981	1500	1970	3142	2075	125
DBLLEAFKIT838	838	1981	1600	1970	3342	2075	125
DBLLEAFKIT915	915	1981	1800	1970	3742	2075	125



Make your mark

Perhaps you love one of the designs from our Door Collection but would prefer it in a different timber veneer or painted finish, or perhaps you would like to create a style that is completely unique and different? More veneers and painted finishes can be viewed online at www.jbkind.com.



For more information on the bespoke options available, visit **www.jbkind.com** or talk to us, we are here to help.

Take a look below to see which of our door ranges have bespoke options available.

Look out for the BS logo adjacent to product images.

Door Range	Bespoke Options
Oak Contemporary	All door designs (excl. Bi-folds)
Oak Classic	All Royale door designs (see pages 29 & 35)
Oak Shaker	N/A
Oak Cottage	Thames Original (p43) and Cherwell (p44)
Walnut	All door designs (excl. Axis Walnut)
Laminates	N/A
Painted Finish	All door designs but a minimum quantity may apply.
White Contemporary	Available for many of the door designs, please refer to individual products
White Classic	N/A
White Shaker	N/A
White Cottage	N/A

N/A not available



MADE TO MEASURE

There are a wide range of standard door sizes available, however, sometimes you just cannot avoid an awkwardly sized door opening. Many of the doors from our collection can be produced to order as a special size and of course any door designs that are created just for you.



BESPOKE GLAZING

Whether you prefer a full glazed panel or smaller apertures, there are so many options for a glazed door. Clear, bevelled, diamond cut and etched are some of the most popular glazing types. Let us know what you would like to achieve and we'll advise on the options.



FIRE DOORS

JB Kind can supply bespoke fire doors, in a wide range of solid and glazed options. Supported by the appropriate accreditations, you can be safe and stylish.



All of our internal doors, including fire doors, can be supplied as factory pre-assembled Doorsets. The perfect door solution for self builds, new housing and apartment developments.

BENEFITS OF A DOORSET

Save time

Each Doorset is pre-hung and ready to install.

Labour cost saving

Quicker fitting times help reduce onsite costs.

Single sourcing

Ease of purchasing all door related components in one place.

Fully certificated

Peace of mind that each Fire and Security rated Doorset is fully compliant.

Factory controlled

Each Doorset is assembled in a factory environment to ensure consistency and quality.

What's in a Doorset?

- 1 Hinges fitted
- 2 Door leaf
- 3 Latch/lock fitted
- 4 Frame/lining, complete with door stop
- 5 Floor covering clearance
- 6 Removable transport bracket

Architrave is also supplied (not shown): available in a variety of styles



Your Doorset enquiries

Each Doorset enquiry is unique and specification accuracy is essential. Please get in touch with our Sales team on 01283 554197 to discuss your requirements and we will send you a Doorset enquiry form.

Here's a checklist of the key information that will be required to help us process your enquiry:

- Quantity required
- Structural opening heights and widths
- Wall depth
- Handing (left or right) as viewed from the pull side
- Floor clearance (distance from bottom of frame to bottom of door)
- Type of door Standard (35/40mm), FD30/FD60 fire rated (44/54mm) or Security rated
- ✓ Door design style
- Frame material and finish mdf or softwood in primed, lacquered or stained
- Frame type rebated or lining
- Architrave profile and dimensions




Door pairs, or double doors as they are often known, really do add a touch of style and class to a home.

If you would like to fit a first-class door pair, we would recommend considering Rebated Meeting Stiles. Rebating means removing a section along the vertical edge of each door where they meet to allow them to fit snugly together, eliminating the small gap that you would see with square meeting stiles (two doors fitted side by side).

A number of door designs held within our stock ranges are suitable for rebating with a short lead time (see table below). This service is offered through our in-house joinery workshop. If your preferred door type is not listed, please check if our Bespoke Options service is available, as they could be

made to order.



N/A not available

AT A GLANCE Doors that can be re	ebated into a pair from stock
Door Range	Door Designs
Oak Contemporary	Tigris Oak & Medina, p17 (sizes: 686 & 762mm)
Oak Classic	Dove Pairs, p31 (ready rebated)
Oak Shaker	All door designs (except fire doors & bi-folds)
Oak Cottage	Yoxall & Tutbury p45
Walnut	Axis p53
Laminates	N/A
Painted Finish	N/A
White Contemporary	All door designs (except fire doors, bi-folds, Quattro p74 & Ripple p73)
White Classic	Jamaica & Trinidad p77 Classique 6 Light Pairs p79 (ready rebated)
White Shaker	All door designs (except fire doors & bi-folds)
White Cottage	N/A

T: 01283 554197 12 www.jbkind.com 13



Royale VP7 Oak



- Pre-finished oak veneer
- 7 ladder style panels with real oak grooves
 FSC® Certified


Make a statement with a pocket door system see page 6



See more Oak Contemporary doors overleaf



Height/Width/ Product Thickness mm Code	Thickness mm Product Code
PRE-FINISHED	FIRE DOORS
1981 610 35 VP7610-0	
1981 686 35 VP7686-0	45 VP7HH686-0
1981 762 35 VP7762-0	45 VP7HH762-0
1001 020 25 VD7020_0	/5 VD7UU030_0



Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 686 35 **VP71VCB686-0** 1981 762 35 **VP71VCB762-0** 1981 838 35 **VP71VCB838-0**

Height/Width/ Product Thickness mm Code Thickness mm Product Code PRE-FINISHED FIRE DOORS 1981 610 35 **VT5610-0** 45 **VT5HH686-0** 1981 686 35 **VT5686-0** 1981 762 35 **VT5762-0** 45 **VT5HH762-0** 1981 838 35 **VT5838-0** VT5HH838-0



Royale VT5 Oak



- Pre-finished oak
- 5 horizontal panels with real oak grooves
- FSC[®] Certified

veneer

Matching door pairs cannot be guaranteed



Royale VT5 Oak Glazed



- Pre-finished oak
- 5 horizontal panels with real oak grooves
- Clear diamond cut safety glass with raised beading
- FSC[®] Certified

Matching door pairs cannot be guaranteed.

Glazed fire doors available to order.

Height/Width/ Product Thickness mm Code PRE-FINISHED 1981 686 35 **VT51VB686-0** 1981 762 35 **VT51VB762-0** 1981 838 35 **VT51VB838-0**








- Pre-finished oak
- 5 ladder style panels with real wood grooves

Tigris is also available

in Walnut and White,

see pages 49 & 66.

Rebated door pairs available from stock for 686 & 762mm



door system see page 6

Make a



See more Oak Contemporary doors overleaf



		-	-	
Height/Wid Thickness				kness Product Code
PRE-FINIS	SHE)	FIRE	DOORS
1981 533	35	015119	44	OISI19FD30
1981 610	35	015120	44	0ISI20FD30
1981 686	35	015123	44	0ISI23FD30
1981 762	35	015126	44	OISI26FD30
1981 838	35	015129	44	OISI29FD30
2040 626	40	0151626		
2040 726	40	0ISI726	44	0ISI726FD30
2040 826	40	0151826	44	0ISI826FD30
2040 926			44	01S1926FD30



Emral Oak






- 5 ladder style panels with real wood grooves
- Clear flat safety glass with raised beading

Emral is also available in Walnut and White, see pages 49 & 66.



Height/Width/ Thickness mm		Thickness mm Product Code
PRE-FINISHED		FIRE DOORS
1981 686 35	0EMR23	44 OEMR23FD30
1981 762 35	0EMR26	44 OEMR26FD30
1981 838 35	OEMR29	44 OEMR29FD30



Medina

Height/Width/ Product Thickness mm Code PRE-FINISHED 1981 686 35 **OMED23G** 1981 762 35 **OMED26G**

1981 838 35 **OMED29G** 2040 626 40 **OMED626G** 2040 726 40 **OMED726G** 2040 826 40 **OMED826G**



grooves • Clear flat safety glass with raised beading

Bela

Bs 🎼

veneer

Pre-finished oak

• 5 ladder style panels

with real wood

Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 610 35 **OBEL20** 1981 686 35 **OBEL23** 1981 762 35 **OBEL26** 1981 838 35 **OBEL29**





Make a statement with a pocket door system see page 6

Timber veneers are a natural material and variations in the colour

and graining should be

are representative only.

expected. Colours depicted



See more Oak Contemporary doors overleaf



Mistral Oak





- Pre-finished oak veneer
- 3 ladder style panels, grooved into MDF

Mistral Oak is also available in Walnut and White, see pages 49 & 67.





Height/\ Thickne		Product Code	Thickr mm	ness Product Code
PRE-FII	NISHED		FIRE	DOORS
1981 53	33 35	OMIS19		
1981 61	10 35	OMIS20		
1981 68	36 35	OMIS23	44	OMIS23FD30
1981 76	32 35	OMIS26	44	OMIS26FD30
1981 83	38 35	OMIS29	44	OMIS29FD30
2040 52	26 40	OMIS526		
2040 62	26 40	OMIS626		
2040 72	26 40	OMIS726	44	OMIS726FD30
2040 82	26 40	OMIS826	44	OMIS826FD30
2040 92	26		44	OMIS926FD30



Mistral Oak Glazed





- 3 ladder style panels, grooved into MDF
- Clear flat safety glass, flush beaded

Glazed fire doors available to order.

Mistral Oak Glazed is also available in Walnut and White, see pages 49 & 67.





			Product Code
PRE-	FINIS	HED)
1981	686	35	OMIS23G
1981	762	35	OMIS26G
1981	838	35	OMIS29G
2040	626	40	OMIS626G
2040	726	40	OMIS726G

2040 826 40 **OMIS826G**



Mistral Oak Bi-fold



- Pre-finished oak veneer
- 3 ladder style panels, grooved into MDF

Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track.

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Mistral Oak Bi-fold is also available in White, see page 67.



Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 762 35 **OMISBF26**







- Pre-finished oak veneer
- Grooved into MDF with alternate horizontal and vertical veneers

Make a statement with a pocket door system see page 6



See more Oak Contemporary doors overleaf



			Product Code	Thick mm	ness Product Code
PRE-	FINIS	SHED)	FIRE	DOORS
1981	610	35	OSIR20		
1981	686	35	OSIR23	44	OSIR23FD30
1981	762	35	OSIR26	44	OSIR26FD30
1981	838	35	OSIR29	44	OSIR29FD30

Sirocco Glazed

• Pre-finished oak

Bs

veneer	
Grooved into MDF with alternate horizontal and vertical veneers Clear flat safety glass, flush beaded	
itusii bedded	
Glazed fire doors available to order.	

Height/Width/ Product Thickness mm Code	Height/Width/ Product Thickness mm Code
PRE-FINISHED	PRE-FINISHED
1981 686 35 OSIR23G	1981 610 35 00ST20
1981 762 35 OSIR26G	1981 686 35 00ST23
1981 838 35 OSIR29G	1981 762 35 00ST26
	1981 838 35 00ST29



Ostria

Bs 🛭 🔥

veneer

Pre-finished oak

 Horizontal veneers with vertical stiles



Ostria Glazed



- Pre-finished oak veneer
- Horizontal veneers with vertical stiles
- Clear flat safety glass, flush beaded

Glazed fire doors available to order.

Height/Width/ Product Thickness mm Code PRE-FINISHED 1981 686 35 **00ST23G** 1981 762 35 **00ST26G** 1981 838 35 **00ST29G**

20 www.jbkind.com T: 01283 554197 21






Ceylon









			Product Code	Thick mm	ness Product Code
PRE-	FINIS	SHED		FIRE	DOORS
1981	610	35	ECEY20		
1981	686	35	ECEY23	44	ECEY23FD30
1981	762	35	ECEY26	44	ECEY26FD30
1981	838	35	ECEY29	44	ECEY29FD30



Product Code		nt/Wic	
	HED	FINIS	RE-
ERH023	35	686	981
ERH026	35	762	981
ERH029	35	838	981

Rhodesia



- Pre-finished oak veneer
- Oak grooves and ash inlay
- Clear flat safety glass with raised beading

Glazed fire doors available to order.



			Product Code
PRE-	FINIS	SHED	
1981	686	35	OJUN23
1981	762	35	OJUN26
1981	838	35	OJUN29

Juno



- Pre-finished oak veneerLight wood inlay
- Clear bevelled safety glass with raised beading
- Glazed fire doors available to order.



PRE-FINISHED
1981 610 35 **OVEN20**

1981 686 35 **OVEN23**1981 762 35 **OVEN26**1981 838 35 **OVEN29**





- Pre-finished oak veneer
- Light wood inlay

Thickness mm Product Code

44 OVEN26FD30 44 OVEN29FD30

FIRE DOORS





Lucina



			Product Code	Thickness mm Product Code
PRE-	FINIS	HED		FIRE DOORS
981	610	35	OLUC20	
1981	686	35	OLUC23	
1981	762	35	OLUC26	44 OLUC26FD30
1981	838	35	OLUC29	44 OLUC29FD30

22 www.jbkind.com T: 01283 554197 23





Diana





- Pre-finished oak veneer
- Light wood inlay











 Clear bevelled safety glass with raised beading

Glazed fire doors available to order.



Chartwell

			Product Code	Thicki mm	ness Product Code
PRE-	FINIS	HED		FIRE	DOORS
1981	533	35	CCHA19		
1981	610	35	CCHA20		
1981	686	35	CCHA23	44	CCHA23FD30
1981	762	35	CCHA26	44	CCHA26FD30
1981	838	35	CCHA29	44	CCHA29FD30





			Product Code	Thick mm	ness Product Code
PRE-	FINIS	SHED		FIRE	DOORS
1981	686	35	CBLE23		
1981	762	35	CBLE26	44	CBLE26FD30G
1981	838	35	CBLE29	44	CBLE29FD30G





Clementine

			Product Code	Thick mm	ness Product Code
PRE-	FINIS	SHED)	FIRE	DOORS
1981	533	35	CCLE19		
1981	610	35	CCLE20		
1981	686	35	CCLE23	44	CCLE23FD30
1981	762	35	CCLE26	44	CCLE26FD30
1981	838	35	CCLE29	44	CCLE29FD30





- Pre-finished oak veneer Walnut inlay Clear flat safety
- glass with raised beading

Glazed fire doors available to order.

			Product Code	
PRE-	FINIS	HED)	
1981	686	35	CSPE23	
1981	762	35	CSPE26	
1981	838	35	CSPE29	







- Pre-finished oak veneer
- Dark coloured grooves



Make a statement with a pocket door system see page 6





			Product Code	Thickr mm	ness Product Code		
PRE-	FINIS	HED		FIRE I	FIRE DOORS		
1981	610	35	EARC20				
1981	686	35	EARC23	44	EARC23FD30		
1981	762	35	EARC26	44	EARC26FD30		
1981	838	35	EARC29	44	EARC29FD30		

veneer

with raised beading



			Product Code	Thickn mm	ness Product Code	
PRE-	FINIS	HED		FIRE D	000RS	
1981	610	35	EAGU20			
1981	686	35	EAGU23	44	EAGU23FD30	
1981	762	35	EAGU26	44	EAGU26FD30	
1981	838	35	EAGU29	44	EAGU29FD30	



Sol





- Pre-finished oak veneer
- Dark coloured grooves



Sol Glazed

• Pre-finished oak

Dark coloured grooves

• Clear flat safety glass

with raised beading

Bs

veneer

			Product Code	Thickr mm	ness Product Code
PRE-	FINIS	HED		FIRE I	DOORS
1981	610	35	ESOL20		
1981	686	35	ES0L23	44	ESOL23FD30
1981	762	35	ESOL26	44	ESOL26FD30
1981	838	35	ESOL29	44	ESOL29FD30



Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 686 35 **EARC23G** 1981 762 35 **EARC26G** 1981 838 35 **EARC29G**



Height/Width/ Product Thickness mm Code

PRE-FINISHED

1981 686 35 **EAGU23G** 1981 762 35 **EAGU26G**

1981 838 35 **EAGU29G**

Agua Glazed

Bs

veneer

 Pre-finished oak veneer

• Dark coloured grooves

 Clear flat safety glass with raised beading

Glazed fire doors available to order.



Height/Width/ Product Thickness mm Code PRE-FINISHED

1981 686 35 **ESOL23G** 1981 762 35 **ESOL26G** 1981 838 35 **ESOL29G**









- Pre-finished and unfinished oak veneer
- Raised shaped panels with raised mouldings



See more Oak Classic doors overleaf



Royale 12-6VM Oak



- Pre-finished & unfinished oak veneer
- Raised shaped panel with raised mouldings
- Clear bevelled safety glass and clear flat glass on FD30



Royale E14M Oak



- Pre-finished & unfinished oak veneer
- Raised shaped panels with raised mouldings



April 1997		_			
Height/Width/ Product Thickness mm Code	Thick	ness Product Code	Height/W Thickness		Pro
PRE-FINISHED	FIRE	DOORS	PRE-FINI	SHED)
1981 610 35 126VM610G-0			1981 610	35	E14
1981 686 35 126VM686G-0	45	126VMHH686G-0	1981 686	35	E14
1981 762 35 126VM762G-0	45	126VMHH762G-0	1981 762	35	E1
1981 838 35 126VM838G-0	45	126VMHH838G-0	1981 838	35	E14
2030 625 40 126VM625G-0			UNFINISI	HED	
2030 725 40 126VM725G-0			1981 610	35	U0
2030 825 40 126VM825G-0			1981 686	35	U0
UNFINISHED	FIRE	DOORS	1981 762	35	U0
1981 610 35 U0126VMN20			1981 838	35	U0
1981 686 35 U0126VMN23	45	U0126VMN23FD30			
1981 762 35 U0126VMN26	45	U0126VMN26FD30			
1981 838 35 U0126VMN29	45	U0126VMN29FD30			

							100		
/idth/	Product n Code	Thick mm	ness Product Code		ht/Wio		Product Code	Thick mm	ness Product Code
ISHE	D	FIRE	DOORS	PRE-	-FINIS	SHED		FIRE	DOORS
35	126VM610G-0			1981	610	35	E14M610-0		
35	126VM686G-0	45	126VMHH686G-0	1981	686	35	E14M686-0	45	E14MHH686-0
2 35	126VM762G-0	45	126VMHH762G-0	1981	762	35	E14M762-0	45	E14MHH762-0
35	126VM838G-0	45	126VMHH838G-0	1981	838	35	E14M838-0	45	E14MHH838-0
40	126VM625G-0			UNF	INISH	ED		FIRE	DOORS
40	126VM725G-0			1981	610	35	U0E14MN20		
5 40	126VM825G-0			1981	686	35	U0E14MN23	45	U0E14MN23FD30
HED		FIRE	DOORS	1981	762	35	U0E14MN26	45	U0E14MN26FD30
35	U0126VMN20			1981	838	35	U0E14MN29	45	U0E14MN29FD30
35	U0126VMN23	45	U0126VMN23FD30						
2 35	U0126VMN26	45	U0126VMN26FD30						

Height/Width/ Product Thickness mm Code

1981 610 35 **12M610-0**

1981 686 35 **12M686-0** 1981 762 35 **12M762-0**

1981 838 35 **12M838-0**

2030 625 40 **12M625-0**

2030 725 40 **12M725-0**

2030 825 40 **12M825-0**

1981 610 35 **U012MN20**

1981 686 35 **U012MN23**

1981 762 35 **U012MN26** 1981 838 35 **U012MN29**

UNFINISHED

PRE-FINISHED







• Unfinished oak veneer



Height/Width/ Thickness mm				Thick mm	ness Product Code
UNFINISHED				FIRE	DOORS
1981	610	35	U0E16MN20		
1981	686	35	U0E16MN23	45	U0E16MN23FD3
1981	762	35	U0E16MN26	45	U0E16MN26FD3
1981	838	35	U0E16MN29	45	U0E16MN29FD3

Royale E16M Oak



Thickness mm Product Code

FIRE DOORS

45 **12MHH610-0**

45 **12MHH838-0**

FIRE DOORS

45

45

45

45

12MHH686-0

12MHH762-0

12MHH725-0

12MHH825-0

U012MN23FD30

45 **U012MN20FD30**

45 **U012MN26FD30** 45 **U012MN29FD30**



- Raised shaped panels with raised mouldings
- Pre-finished available to order.



Height/Width/ Product Thickness mm Code UNFINISHED 1981 686 35 **U0118V686** 1981 762 35 **U0118V762** 1981 838 35 **U0118V838**

Royale 11-8V Oak



- Unfinished oak veneer Clear bevelled safety glass with raised mouldings
- Pre-finished available to order.
- Glazed fire doors available to order.



Glazed fire doors available to order.

Royale

Bs 🗾

Unglazed

E14-2VM Oak

• Unfinished oak veneer

• Raised shaped panels

Pre-finished available

with raised mouldings

			Product Code
UNFI	NISH	ED	
1981	686	35	U0E142VMN23
1981	762	35	U0E142VMN26
1981	838	35	U0E142VMN29

28 T: 01283 554197 29 www.jbkind.com





Height/Width/ Product Thickness mm Code

1981 457 35 **OTRE16**

1981 533 35 **OTRE19**

1981 610 35 **OTRE20**V

1981 686 35 **OTRE23V**

1981 762 35 **OTRE26**V

1981 838 35 OTRE29V

2032 813 35 **OTRE28**

UNFINISHED

Trent





 Pre-finished and unfinished oak veneer

Thickness mm Product Code

44 OTRE23FD30V

OTRE26FD30V

OTRE29FD30V

FIRE DOORS

44

44

Doors marked ${f v}$ are available pre-finished from stock

• Raised shaped panels




• Clear bevelled safety glass Pre-finished available to order.

Dove

veneer

panel





Height/Width/ Product Thickness mm Code UNFINISHED 1981 1219 35 **ODOV40** 1981 1372 35 **ODOV46** 1981 1524 35 **ODOV50**

Dove Pairs



- Unfinished oak veneer
- Raised shaped panels
- Clear bevelled safety glass

Pre-finished available to order.

Rebated meeting stiles, left hand open away.





Derwent



- Unfinished oak veneer
- Flat panels

Pre-finished available to order.



Severn

• Flat panels

• Unfinished oak veneer

• Clear flat safety glass

Pre-finished available

Height/Width/ Product Thickness mm Code

UNFINISHED 1981 686 35 **OSEV23G** 1981 762 35 **OSEV26G** 1981 838 35 **OSEV29G**



- Unfinished oak veneer
- Flat panels

Churnet


 Diamond leaded safety glass

Pre-finished available to order.

Height/Width/ Product Thickness mm Code

	ED	NISH	UNFI
OCHUDL2	35	686	1981
OCHUDL2	35	762	1981
OCHUDL2	35	838	1981

All images are shown finished for illustrative purposes only.







- Pre-finished oak veneer
- Raised shaped panels

Make a statement with a pocket door system see page 6



See more Oak Classic doors overleaf



Charnwood



- Pre-finished oak veneer
- Raised shaped panels




Grizedale



- Pre-finished oak veneer
- Raised shaped panels





Gisburn

• Pre-finished oak

• Clear flat safety glass



Height/Width/ Product Thickness mm Code

1981 610 35 **VS04P20** 1981 686 35 **VS04P23**

1981 762 35 **VSO4P26**

1981 838 35 **VSO4P29**

PRE-FINISHED

Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 686 35 **VS06L2P23G** 1981 762 35 **VS06L2P26G** 1981 838 35 **VSO6L2P29G**

Dean



 Pre-finished oak veneer

Thickness mm Product Code

FIRE DOORS

44 VS04P23FD30

44 VS04P26FD30

44 VS04P29FD30

- Raised shaped panels
- Clear flat safety glass



Height/Width/ Product Thickness mm Code PRE-FINISHED

1981 762 35 **VSO6L1P26G** 1981 838 35 **VSO6L1P29G**

Arden



- veneer
- Raised shaped panel Clear flat safety glass



Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 686 35 **VSO10L23G** 1981 762 35 **VSO10L26G** 1981 838 35 **VSO10L29G**





Bs 🚺 🔥



- Pre-finished oak veneer
- Raised shaped panels with raised mouldings




Make a statement with a pocket door system see page 6



See more Oak Classic doors overleaf



Height/Width/ Thickness mm				Thickness mm Product Code		
PRE-	FINIS	HED	1	FIRE	DOORS	
1981	686	35	R112M686-0			
1981	762	35	R112M762-0	45	R112MHH762-0	
1981	838	35	R112M838-0	45	R112MHH838-0	




Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 686 35 **R112V686-0** 1981 762 35 **R112V762-0** 1981 838 35 **R112V838-0**



Height/Width/ Thickness mm		Thickness mm Product Code
PRE-FINISHED)	FIRE DOORS
1981 610 35	R03610-0	
1981 686 35	R03686-0	
1981 762 35	R03762-0	45 R03HH762-0
1981 838 35	R03838-0	45 R03HH838-0



• Pre-finished oak

• Flat panels with

raised mouldings


veneer

Royale R03 Oak Glazed



- Pre-finished oak
- Clear bevelled safety glass with raised mouldings

Glazed fire doors available to order.











- Unfinished oak veneer
- Flat panel with decorative muntings

Pre-finished available to order.

Make a statement with a pocket door system see page 6





Height/Width/ Thickness mn		Thickness mm Product Code
UNFINISHED		FIRE DOORS
1981 610 35	OEDE20	
1981 686 35	OEDE23	44 OEDE23FD30
1981 762 35	OEDE26	44 OEDE26FD30
1981 838 35	OEDE29	44 OEDE29FD30
2040 626 40	OEDE626	
2040 726 40	OEDE726	44 OEDE726FD30
2040 826 40	OEDE826	44 OEDE826FD30



Mersey



- Unfinished oak veneer
- Decorative muntings
- Clear flat safety glass

Pre-finished available to order.

Height/Width/ Thickness mm		Thickness mm Product Code
UNFINISHED		FIRE DOORS
1981 610 35	OMER20	
1981 686 35	OMER23	
1981 762 35	OMER26	44 OMER26FD30
1981 838 35	OMER29	44 OMER29FD30

Mersey

to order.

Unfinished oak veneer

Raised shaped panels

Pre-finished available





Humber

- Unfinished oak veneer
- Clear flat safety glass

Pre-finished available to order.



All images are shown finished for illustrative purposes only.

36 www.jbkind.com T: 01283 554197 37

Height/Width/ Product Thickness mm Code

1981 686 35 **ODAR23G** 1981 762 35 **ODAR26G**

1981 838 35 **ODAR29G**

2040 726 40 **ODAR726G**

2040 826 40 **ODAR826G**


UNFINISHED





Axis Oak





Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Axis Oak is also available in Walnut and White, see pages 53 & 83.



			Product Code	Thick mm	ness Product Code
PRE-	FINIS	HED)	FIRE	DOORS
1981	610	35	VOAXI20		
1981	686	35	VOAXI23	44	VOAXI23FD30
1981	762	35	VOAXI26	44	VOAXI26FD30
1981	838	35	VOAXI29	44	VOAXI29FD30



Height/Width/ Product Thickness mm Code PRE-FINISHED 1981 686 35 **VOAXI23G** 1981 762 35 **VOAXI26G**

1981 838 35 **VOAXI29G**





- veneer • Wide shaker panel
- design • Clear flat safety glass
- Rebated door pairs can be ordered from stock with a short lead time.

Axis Oak Glazed is also available in Walnut and White, see pages 53 & 83.



to order.

eight/Width/ nickness mm		Thickness mm Product Code
NFINISHED		FIRE DOORS
81 610 35	OSN020	
981 686 35	OSN023	44 OSN023FD30
981 762 35	0SN026	44 OSN026FD30
81 838 35	OSN029	44 OSN029FD30
040 626 40	OSN0626	
040 726 40	OSN0726	44 OSN0726FD30
040 826 40	OSN0826	44 OSN0826FD30

Snowdon





Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead

Pre-finished available






supplied ready hinged

with pivots, brackets

and a sliding track

Pre-finished available to order.



All images are shown finished for illustrative purposes only.



			Product Code
UNFI	NISH	ED	
1981	686	35	ONEV23
1981	762	35	ONEV26
1981	838	35	ONEV29

2040 726 40 **ONEV726**

2040 826 40 **ONEV826**





Rushmore



Rebated door pairs can be ordered from stock with a short lead time.

Pre-finished available to order.

Nevis

glass



panels
Rebated door pairs ca
be ordered for standa

be ordered for standard stock doors (not fire doors) with a short lead

Pre-finished available to order.

				•	
			Product Code	Thick mm	ness Product Code
NFI	NISH	ED		FIRE	D00RS
981	610	35	ORUS20		
981	686	35	ORUS23	44	ORUS23FD30
981	762	35	ORUS26	44	ORUS26FD30
			ORUS29		ORUS29FD30









- Unfinished oak veneer
- Full recessed flat panel

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Pre-finished available to order.








1			
			Product Code
UNFI	NISH	ED	
1981	686	35	OFUJ23
1981	762	35	OFUJ26
4004	000	0.5	0511100

1981 838 35 **OFUJ29**



- Unfinished oak veneer

be ordered from stock with a short lead time.

Pre-finished available



Eiger



 Unfinished oak veneer • Two recessed flat panels

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Pre-finished available to order.

Height/Width/ Product Thickness mm Code Thickness mm Product Code UNFINISHED FIRE DOORS 1981 610 35 **OEIG20** 1981 686 35 **OEIG23** 1981 762 35 **OEIG26** OEIG23FD30 OEIG26FD30 44 44 OEIG29FD30 1981 838 35 **OEIG29**



Height/Width/ Product Thickness mm Code

1981 610 35 **OETN20**

1981 686 35 **OETN23** 1981 762 35 **OETN26**

1981 838 35 **OETN29**

UNFINISHED

Etna Bi-fold

Unfinished oak veneer

FIRE DOORS

44 OETN26FD30

44 **OETN29FD30**

OETN23FD30

 Easy to install into existing frames, supplied ready hinged with pivots, brackets

and a sliding track

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Pre-finished available to order.

Height/Width/ Product Thickness mm Code

UNFINISHED 1981 762 35 **OETNBF26**



Fuji Bi-fold



- Unfinished oak veneer
- Clear flat safety glass Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking

Pre-finished available to order.

Height/Width/ Product Thickness mm Code

UNFINISHED 1981 762 35 **OFUJBF26**



with a short lead time. Pre-finished available

Matterhorn

• Unfinished oak veneer

• Clear flat safety glass

Rebated door pairs can

be ordered from stock

to order.

Height/Width/ Product Thickness mm Code UNFINISHED 1981 686 35 **OMAT23**

1981 762 35 **OMAT26** 1981 838 35 **OMAT29** All images are shown finished for illustrative

purposes only.

40 T: 01283 554197 41 www.jbkind.com



See more Oak Cottage doors overleaf

Make a statement with a pocket door system see page 6



All images are shown finished for illustrative purposes only.

Unfinished oak veneer

• Grooved bottom panel

is full door thickness • Clear flat safety glass with etched lines Pre-finished available

Thames 1/2 Light

to order.

Thames Original





- Pre-finished and unfinished oak veneer
- Grooved centre panel is full door thickness

The grooved centre panel is full door thickness

OTHA20FD30V

OTHA23FD30V

OTHA26FD30V

OTHA29FD30V

OTHA726FD30

44 OTHA826FD30

44 OTHA926FD30

Thames Original

Unfinished oak veneer

full door thickness

and a sliding track.

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller

frames, supplied ready

Thickness mm Product Code

FIRE DOORS

44

44

44

Bi-fold

Doors marked ${f v}$ are available pre-finished from stock

Height/Width/ Product Thickness mm Code

1981 457 35 **OTHA16** 1981 533 35 **OTHA19** 1981 610 35 **OTHA20**V

1981 686 35 OTHA23V

1981 762 35 **OTHA26**V

1981 838 35 **OTHA29**V


2040 626 40 **OTHA626**V 2040 726 40 **OTHA726**V

2040 826 40 **OTHA826**V

2040 926 40 **OTHA926**

UNFINISHED





Thames 1 Light



- Pre-finished & unfinished oak veneer
- Clear flat safety glass with etched lines



Height/Width/ Product Thickness mm Code

UNFINISHED 1981 686 35 **OTHAVL23** 1981 762 35 **OTHAVL26** 1981 838 35 **OTHAVL29**

- Grooved bottom panel is full door thickness

Pre-finished available



Height/Width/ Product Thickness mm Code

	ED	NISH	UNFI
OTHA6L2	35	686	1981
OTHA6L2	35	762	1981
OTHA6L2	35	838	1981

2040 626 40 **OTHA6L626** 2040 726 40 **OTHA6L726**

2040 826 40 **OTHA6L826**



UNFINISHED 1981 686 35 **MK20THA1L23**V 1981 762 35 MK20THA1L26V 1981 838 35 MK20THA1L29V 2040 626 40 **OTHA1L626**V

2040 726 40 **OTHA1L726**V 2040 826 40 **OTHA1L826**V Doors marked V are available pre-finished from stock



Thames 6 Light



- Unfinished oak veneer
- Clear flat safety glass

to accommodate tracking.

Pre-finished available to order. Height/Width/ Product

Thickness mm Code UNFINISHED 1981 762 35 **OTHABF26**

T: 01283 554197 42 www.jbkind.com







Cherwell



- Prefinished oak veneer
- Full length vertical grooves



Height/Width/ Thickness mm		Thick mm	ness Product Code				Product Code
PRE-FINISHED		FIRE	DOORS	PRE-	FINIS	HED)
1981 610 35	VOCHE20			1981	686	35	VOCHE23G
1981 686 35	VOCHE23	44	VOCHE23FD30	1981	762	35	VOCHE26G
1981 762 35	VOCHE26	44	VOCHE26FD30	1981	838	35	VOCHE29G
1981 838 35	VOCHE29	44	VOCHE29FD30				



Cherwell Glazed



- Prefinished oak veneer
- Full length vertical grooves
- Clear flat safety glass with raised beading

Glazed fire doors available to order.



Yoxall



- Pre-finished & unfinished oak veneer
- Individually boarded not grooved

Rebated door pairs can be ordered from stock with a short lead time.



A higher specification, this door is individually boarded not grooved

	nt/Wid ness		Product Code	Thick mm	rness Product Code
UNFI	NISH	ED		FIRE	DOORS
1981	457	35	OYOX16V		
1981	533	35	OYOX19V		
1981	610	35	OYOX20V	44	OYOX20FD30V
1981	686	35	OYOX23V	44	OYOX23FD30V
1981	762	35	OYOX26V	44	OYOX26FD30V
1981	838	35	OYOX29V	44	OYOX29FD30V
2040	626	40	0Y0X626		
2040	726	40	0Y0X726	44	0Y0X726FD30
2040	826	40	0Y0X826	44	0Y0X826FD30
2040	926	40	0Y0X926	44	OYOX926FD30






- Pre-finished & unfinished oak veneer
- Individually boarded not grooved
- Clear bevelled safety glass

Rebated door pairs can be ordered from stock with a short lead time.



All images are shown finished for illustrative purposes only.







Height/Width/ Product Thickness mm Code

1981 610 35 **R04P20**

1981 686 35 **R04P23** 1981 762 35 **R04P26**

1981 838 35 **R04P29**

PRE-FINISHED

Rustic Oak 4 Panel





- Natural knotty appearance
- Recessed flat panels



Height/Width/ Product Thickness mm Code PRE-FINISHED

1981 762 35 **RO4P2TL26**

Rustic Oak 4 Panel Glazed



- Pre-finished oak veneer Natural knotty
- appearance Recessed flat panels





Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 610 35 **RODX20** 1981 686 35 RODX23 1981 762 35 RODX26 1981 838 35 **RODX29**

Rustic Oak DX





- Natural knotty appearance
- Recessed flat panels



Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 762 35 RODXTL26

Rustic Oak DX Glazed



- Prefinished oak
- Natural knotty appearance Recessed flat panels
- Opaque flat safety





Front view of Ledged door



Back view of Ledged door

1981 838 40 **ROLED29**



Back view of Ledged door with braces

appearance Pre-finished available to order. If you wish to create a Ledged and Braced style, the Braces are available to purchase separately.

Rustic Oak Ledged

 Unfinished solid oak planks

Natural knotty

Height/Width/ Product Thickness mm Code

Height/Width/ Product Thickness mm Code UNFINISHED LEDGED BRACE PACK 1981 686 40 **ROLED23** (2 PER PACK) 1000 120 15 **ROLEDBRPACK** 1981 762 40 **ROLED26**



Make a statement with a pocket door system see page 6



See more Walnut doors overleaf


Tigris Walnut





- Pre-finished Walnut
- 5 ladder style panels, grooved into real wood













Emral Walnut





- 5 ladder style panels, grooved into real wood
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Emral Walnut is also available in Oak and White, see pages 17 & 66.



Height/Width/ Product Thickness mm Code

PRE-FINISHED						
1981	686	35	WEMR23			
1981	762	35	WEMR26			
1981	838	35	WEMR29			



Mistral Walnut is also available in Oak and White, see pages 18 & 67.



			Product Code	Thick	ness Product Code	
Thickness mm C PRE-FINISHED					RE DOORS	
1981		35	WMIS20	TINE	Doorio	
1981	686	35	WMIS23	44	WMIS23FD30	
1981	762	35	WMIS26	44	WMIS26FD30	
1981	838	35	WMIS29	44	WMIS29FD30	
2040	526	40	WMIS526			
2040	626	40	WMIS626			
2040	726	40	WMIS726	44	WMIS726FD30	
2040	826	40	WMIS826	44	WMIS826FD30	
2040	926			44	WMIS926FD30	

Mistral Walnut



- Pre-finished Walnut veneer
- 3 ladder style panels, grooved into MDF



Glazed fire doors available to order.



Mistral Walnut

• Pre-finished Walnut

• 3 ladder style panels,

grooved into MDF

 Clear flat safety glass, flush beaded

Glazed Bs 🕼



Height/Width/ Product

Code	mm	ness	Thick
	HED	FINIS	PRE-
WMIS23G	35	686	1981
WMIS26G	35	762	1981
WMIS29G	35	838	1981
WMIS626G	40	626	2040
WMIS726G	40	726	2040
WMIS826G	40	826	2040





Fernor







 Flush horizontal grained veneer

Matching door pairs cannot be guaranteed.



Height/Width/ Thickness mm		Thickness mm Product Code
PRE-FINISHED	1	FIRE DOORS
1981 610 35	WFER20	44 WFER20FD30
1981 686 35	WFER23	44 WFER23FD30
1981 762 35	WFER26	44 WFER26FD30
1981 838 35	WFER29	44 WFER29FD30



Height/Width/ Product Thickness mm Code

1981 686 35 **WFRA23**

1981 762 35 **WFRA26**

1981 838 35 **WFRA29**

PRE-FINISHED

Franquette





- Flush horizontal grained veneer
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Matching door pairs cannot be guaranteed.





				_		
			Product Code		Thick mm	ness Product Code
PRE-	FINIS	HEE)		FIRE	DOORS
1981	610	35	WMAY20			
1981	686	35	WMAY23		44	WMAY23FD30
1981	762	35	WMAY26		44	WMAY26FD30
1981	838	35	WMAY29		44	WMAY29FD30

Mayette







- Pre-finished Walnut veneer
- Alternate vertical and horizontal veneers with oak inlay



Height/Width/ Product Thickness mm Code PRE-FINISHED 1981 686 35 **WEDR23** 1981 762 35 **WEDR26**

1981 838 35 **WEDR29**

Edras Bs 🎏 • Pre-finished Walnut

- veneer Alternate vertical and
- horizontal veneers with oak inlay • Clear flat safety glass
- with raised beading Glazed fire doors

available to order.







- Pre-finished Walnut veneer
- Oak inlay



Bs

- Pre-finished Walnut veneer
- Oak inlay

Valcor

• Clear flat safety glass with raised beading

Glazed fire doors available to order.

Height/Width/ Thickness mm		Thick	ness Product Code					Product Code
PRE-FINISHED		FIRE	DOORS	Р	RE	-FINI	SHED)
1981 610 35	WVIN20			1	81	686	35	WVAL23
1981 686 35	WVIN23	44	WVIN23FD30	1	81	762	35	WVAL26
1981 762 35	WVIN26	44	WVIN26FD30	1	81	838	35	WVAL29
1981 838 35	WVIN29	44	WVIN29FD30					









Wide shaker panel design

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Axis Walnut is also available in Oak and White, see pages 38 & 83.



Make a statement with a pocket door system see page 6









Axis Walnut Glazed





- Wide shaker panel design
- Clear flat safety glass

Rebated door pairs can be ordered from stock with a short lead time.

Axis Walnut Glazed is also available in Oak and White, see pages 38 & 83.

Height/Width/ Product Thickness mm Code PRE-FINISHED

1981 686 35 VWAXI23G 1981 762 35 VWAXI26G 1981 838 35 VWAXI29G



Lara





 5 horizontal panels with real wood grooves

Matching door pairs cannot be guaranteed.



			Product Code	Thick mm	ness Product Code	
PRE-	FINIS	HED)	FIRE	DOORS	
1981	610	35	WLAR20	44	WLAR20FD30	
1981	686	35	WLAR23	44	WLAR23FD30	
1981	762	35	WLAR26	44	WLAR26FD30	
1981	838	35	WLAR29	44	WLAR29FD30	





- Pre-finished Walnut veneer
 5 horizontal panels
- 5 horizontal panels with real wood grooves
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Matching door pairs cannot be guaranteed.

Height/Width/ Product
Thickness mm Code

| PRE-FINISHED |
| 1981 686 35 WPAR23 |
| 1981 762 35 WPAR26 |
| 1981 838 35 WPAR29 |

52 www.jbkind.com T: 01283 554197 53





NEW Alabama Fumo





- Pre-finished laminate with a smoky grey wood effect
- Central panel is slightly recessed



Height/Width/ Thickness mm			Thickr mm	ness Product Code
PRE-FINIS	HED		FIRE I	DOORS
1981 610	35	LALAFUM20		
1981 686	35	LALAFUM23	44	LALAFUM23FD30
1981 762	35	LALAFUM26	44	LALAFUM26FD30
1981 838	35	LALAFUM29	44	LALAFUM29FD30





Height/Width/ Product Thickness mm Code

PRE-FINISHED

1981 686 35 LALAFUMG23

1981 762 35 LALAFUMG26

1981 838 35 LALAFUMG29

- Pre-finished laminate with a smoky grey wood
- Central panel is slightly recessed
- Clear flat safety glass with raised beading



NEW Alabama Cinza





- Pre-finished laminate with a dark grey walnut wood effect
- Central panel is slightly recessed



Height/Width Thickness mr		Thickness mm Product Code
PRE-FINISHI	ED	FIRE DOORS
1981 610 3	5 LALACIN20	
1981 686 3	5 LALACIN23	44 LALACIN23FD30
1981 762 3	5 LALACIN26	44 LALACIN26FD30
1981 838 3	5 LALACIN29	44 LALACIN29FD30



NEW Alabama Cinza Glazed

- Pre-finished laminate with a dark grey walnut wood effect
- Central panel is slightly recessed
- Clear flat safety glass with raised beading





Make a statement with a pocket door system see page 6

effect

grooves



See more Laminate doors overleaf

Ivory

- Pre-finished laminate with ivory coloured wood effect
- 5 ladder style panels with light coloured grooves



	Height/Width/ Thickness mm			Thicks mm	ness Product Code
FINIS	HED			FIRE	DOORS
1981	610	35	IVOTIG20		
1981	686	35	IVOTIG23	44	IVOTIG23FD30
1981	762	35	IVOTIG26	44	IVOTIG26FD30
1981	838	35	IVOTIG29	44	IVOTIG29FD30



Heigh Thick			Product Code
FINIS	HED		
1981	686	35	IVOTIG23G
1981	762	35	IVOTIG26G
1981	838	35	IVOTIG29G

Lava



- Pre-finished laminate with grey coloured wood effect
- 5 ladder style panels with grey coloured grooves



Height/Width/ Thickness mm		Thickness mm Product Code
FINISHED		FIRE DOORS
1981 610 35	LAVTIG20	
1981 686 35	LAVTIG23	44 LAVTIG23FD30
1981 762 35	LAVTIG26	44 LAVTIG26FD30
1981 838 35	LAVTIG29	44 LAVTIG29FD30





- Pre-finished laminate with grey coloured wood effect
- 5 ladder style panels with grey coloured grooves
- Clear flat safety glass with raised beading







NEW Hudson





• Grooved cottage style central panel



Height/Width/ Thickness mm			Product Code	Thickr mm	ness Product Code
PRE-I	FINIS	HED		FIRE	DOORS
1981	610	35	LHUD20		
1981	686	35	LHUD23	44	LHUD23FD30
1981	762	35	LHUD26	44	LHUD26FD30
1981	838	35	LHUD29	44	LHUD29FD30
2040	626	40	LHUD626	44	LHUD626FD30
2040	726	40	LHUD726	44	LHUD726FD30
2040	826	40	LHUD826	44	LHUD826FD30
2040	926			44	LHUD926FD30



NEW Hudson Glazed



- Pre-finished laminate with oak coloured wood effect
- Grooved cottage style central panel
- Clear flat safety glass with raised beading

Heigh Thick			Product Code
PRE-	FINIS	HED)
1981	686	35	LHUDG23
1981	762	35	LHUDG26
1981	838	35	LHUDG29
2040	626	40	LHUDG626
2040	726	40	LHUDG726
2040	826	40	LHUDG826





central panel

Height/Width Thickness m		Thickness mm Product Code
PRE-FINISH	ED	FIRE DOORS
1981 610 3	5 LC0L020	
1981 686 3	5 LC0L023	44 LC0L023FD30
1981 762 3	5 LC0L026	44 LC0L026FD30
1981 838 3	5 LC0L029	44 LC0L029FD30





- Pre-finished laminate with grey coloured wood effect

NEW Colorado

- Grooved cottage style bottom panel
- Clear flat safety glass with etched lines and raised beading




Make a statement with a pocket door system
see page 6

Height/Width/ Product Thickness mm Code PRE-FINISHED

1981 686 35 LCOL023G

1981 762 35 LCOL026G

1981 838 35 LCOL029G








NEW Pintado



Pre-finished grey finish with vertical grain







			Product Code	Thicks mm	ness Product Code
PRE-	FINIS	HED		FIRE	DOORS
1981	610	35	NGPINT20		
1981	686	35	NGPINT23	44	NGPINT23FD30
1981	762	35	NGPINT26	44	NGPINT26FD30
1981	838	35	NGPINT29	44	NGPINT29FD30



Height/Width/ Product Thickness mm Code

1981 838 35 **NGPINT29G**

PRE-FINISHED 1981 686 35 **NGPINT23G** 1981 762 35 **NGPINT26G**

NEW Pintado Grey Glazed





• Clear flat safety glass with raised beading

Minimum quantity may apply for Bespoke orders.

Glazed fire doors available to order.



					RECERTOR	
loiak	+ Λ <i>Λ</i> /; σ	1+b/	Droduct	Thickr	2005	
			Product Code		Product Code	
RE-	FINIS	HED)	FIRE	DOORS	
981	610	35	NARD20			
981	686	35	NARD23	44	NARD23FD30	
981	762	35	NARD26	44	NARD26FD30	
981	838	35	NARD29	44	NARD29FD30	









with vertical grain

• Grey coloured grooves



quantity for Bespoke



			Product Code
PRE-	FINIS	SHED)
1981	686	35	NARD23G
1981	762	35	NARD26G
1981	838	35	NARD29G

Ardosia Glazed





• Grey coloured grooves Clear flat safety glass with raised beading

Minimum quantity may apply for Bespoke orders.

Glazed fire doors available to order.





Grigio

Bs 🥵 🔥

• Painted ash grey

horizontal grain

FSC[®] Certified


finish with

Height/Width/ Thickness mm				Thickr mm	ness Product Code
PRE-FINISHED		HED		FIRE I	DOORS
1981	610	35	ECGRI20		
1981	686	35	ECGRI23	45	ECGRIHH23
1981	762	35	ECGRI26	45	ECGRIHH26
1981	838	35	ECGRI29	45	ECGRIHH29



- Painted ash grey finish with horizontal grain
- Clear flat safety glass with raised beading
- FSC[®] Certified

Glazed fire doors available to order.







Argento





- Silver coloured vertical grooves
- FSC® Certified



Height/Width/ Product Thickness mm Code Thickness mm Product Code FIRE DOORS PRE-FINISHED 1981 610 35 **ECARG20** ECARGHH23 1981 686 35 **ECARG23** 45 45 1981 762 35 **ECARG26** ECARGHH26 1981 838 35 **ECARG29** ECARGHH29



PRE-FINISHED 1981 686 35 **ECARG23G**

1981 762 35 **ECARG26G**

1981 838 35 **ECARG29G**

Argento Glazed





- Silver coloured vertical grooves
- Clear flat safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.



• 5 ladder style panels with ivory coloured grooves FSC[®] Certified

Mocha

grain

Bs 😰 🔥

Painted soft walnut

finish with vertical

Height/Width/ Thickness mm				Thicki mm	ness Product Code
PRE-	FINIS	HED		FIRE	DOORS
1981	610	35	ECM0C20		
1981	686	35	ECM0C23	45	ECM0CHH23
1981	762	35	ECM0C26	45	ECM0CHH26
1981	838	35	ECM0C29	45	ECM0CHH29

Mocha Glazed






Height/Width/ Product Thickness mm Code

1981 686 35 **ECMOC23G**

1981 762 35 **ECMOC26G**

1981 838 35 **ECM0C29G**

PRE-FINISHED



Height/Width/ Thickness mm				Thick mm	ness Product Code
PRE-F	INIS	HED		FIRE	DOORS
1981	610	35	ECWEN20		
1981	686	35	ECWEN23	45	ECWENHH23
1981	762	35	ECWEN26	45	ECWENHH26
1981	838	35	ECWEN29	45	ECWENHH29

Wenge

Bs 🛭 🔥

Painted wenge finish

• 5 horizontal panels

grooves

FSC® Certified

with horizontal grain

with wenge coloured

Wenge Glazed



 Painted wenge finish with horizontal grain

- 5 horizontal panels with wenge coloured grooves
- Clear flat safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.

			Product Code
PRE-	FINIS	SHED)
1981	686	35	ECWEN23G
1981	762	35	ECWEN26G
1981	838	35	ECWEN29G



Make a statement with a pocket door system see page 6









- Painted light oak finish with vertical grain
- 5 horizontal panels, grooved into MDF

Minimum quantity may apply for Bespoke orders.





Height/Width/ Thickness mm		Thickn mm	ess Product Code
PRE-FINISHED		FIRE D	OORS
1981 610 35	GTAT20		
1981 686 35	GTAT23	44	GTAT23FD30
1981 762 35	GTAT26	44	GTAT26FD30
1981 838 35	GTAT29	44	GTAT29FD30



Louvre

Bs

- Painted light oak finish with vertical grain
- 5 horizontal panels, grooved into MDF • Clear flat safety glass
- with raised beading

Glazed fire doors available to order.

Minimum quantity may apply for Bespoke



	SERVIN NICEOUS EXCES
Height/Width/ Product Thickness mm Code	Thickness mm Product Code
PRE-FINISHED	FIRE DOORS
1981 610 35 NVIR20	
1981 686 35 NVIR23	44 NVIR23FD30
1981 762 35 NVIR26	44 NVIR26FD30
1981 838 35 NVIR29	44 NVIR29FD30

Viridis



- Painted a natural colour tone with vertical grain
- Light coloured grooves

Minimum quantity may apply for Bespoke orders.





Heigh Thick			
PRE-	FINIS	SHED)
1981	686	35	N۷

Viridis Glazed



- Painted a natural colour tone with vertical grain
- Light coloured grooves
- Clear flat safety glass with raised beading

Glazed fire doors available to order.

Minimum quantity may apply for Bespoke

1981 762 35 NVIR26G 1981 838 35 NVIR29G

64 www.jbkind.com T: 01283 554197 65

Height/Width/ Product Thickness mm Code PRE-FINISHED 1981 686 35 **GLOU23** 1981 762 35 **GLOU26**

1981 838 35 **GLOU29**











- 5 ladder style panels, grooved into MDF • FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Tigris White is also available in Oak and Walnut, see pages 17 & 49



Height/Width/ Thickness mm			Thicks mm	ness Product Code	
PRE-FINISHED				FIRE	DOORS
1981	610	35	LTIG20		
1981	686	35	LTIG23	44	LTIG23FD30
1981	762	35	LTIG26	44	LTIG26FD30
1981	838	35	LTIG29	44	LTIG29FD30



PRE-FINISHED

Emral White







- 5 ladder style panels, grooved into MDF
- Clear flat safety glass, flush beaded
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Glazed fire doors available to order.

Emral White is also available in Oak and Walnut, see pages 17 & 49.



Height/Width/ Product Thickness mm Code 1981 686 35 **LEMR23G** 1981 762 35 **LEMR26G** 1981 838 35 **LEMR29G**



When finishing a primed glazed door, ensure that the paint and peel protective film is kept in place, until the door is completely dry.

Tigris White Bi-fold




- Pre-finished white
- 5 ladder style panels, grooved into MDF
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC[®] Certified

Please note that the door opening size is bi-fold supplied is slightly smaller to accommodate tracking.











- White primed
- 3 ladder style panels, grooved into MDF
- FSC® Certified Rebated door pairs

can be ordered for standard stock doors (not fire doors) with a short lead time.

Mistral White is also available in Oak and Walnut, see pages 18 & 49



Height/Width/ Product Thickness mm Code

PRIM	ED		
1981	686	35	LMIS230
1981	762	35	LMIS260
1981	838	35	LMIS290
2040	626	40	LMIS626
2040	726	40	LMIS72
2040	826	40	LMIS82

Mistral White Glazed



- White primed
- 3 ladder style panels, grooved into MDF
- Clear flat safety glass, flush beaded
- FSC[®] Certified

Rebated door pairs can be ordered from stock with a short lead time.


Glazed fire doors available to order.

Mistral White Glazed is also available in Oak and Walnut, see pages 19 & 49.









Adding the



Mistral White

White primed

• 3 ladder style panels,

grooved into MDF

and a sliding track

Please note that the door

opening size is listed and

supplied is slightly smaller

to accommodate tracking.

that the actual bi-fold

FSC® Certified

Easy to install into existing

frames, supplied ready

hinged with pivots, brackets

Bi-fold

T: 01283 554197 66 www.jbkind.com 67



Parelo



- Painted satin white finish
- Black coloured vertical grooves
- FSC® Certified

Make a statement with a pocket door system see page 6




See more White Contemporary doors overleaf



Height/Width/ Thickness mm			Thicks mm	ness Product Code	
PRE-	FINIS	HED		FIRE	DOORS
1981	610	35	ECPAR20		
1981	686	35	ECPAR23	45	ECPARHH23
1981	762	35	ECPAR26	45	ECPARHH26
1981	838	35	ECPAR29	45	ECPARHH29







Blanco



- Painted satin white finish
- Aluminium coloured inlays
- FSC® Certified

Height/Width/ Product Thickness mm Code	Thickness mm Product Code	Height/Width/ Product Thickness mm Code	Thickness mm Product Code
PRE-FINISHED	FIRE DOORS	PRE-FINISHED	FIRE DOORS
1981 610 35 ECLIN20		1981 610 35 ECBLA20	
1981 686 35 ECLIN23	45 ECLINHH23	1981 686 35 ECBLA23	45 ECBLAHH23
1981 762 35 ECLIN26	45 ECLINHH26	1981 762 35 ECBLA26	45 ECBLAHH26
1981 838 35 ECLIN29	45 ECLINHH29	1981 838 35 ECBLA29	45 ECBLAHH29

Parelo Glazed Bs




Height/Width/ Product Thickness mm Code PRE-FINISHED 1981 686 35 **ECPAR23G** 1981 762 35 **ECPAR26G**

1981 838 35 **ECPAR29G**



Height/Width/ Product Thickness mm Code PRE-FINISHED

1981 686 35 **ECLIN23G** 1981 762 35 **ECLIN26G** 1981 838 35 **ECLIN29G**





Blanco Glazed




- finish Aluminium coloured
- Clear flat safety glass with raised beading
- FSC® Certified

Glazed fire doors available to order.

Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 686 35 **ECBLA23G** 1981 762 35 **ECBLA26G** 1981 838 35 **ECBLA29G**









- MDF face with ladder style feature grooves
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Thickness mm Product Code

FIRE DOORS

44 LIMP26FD30

44 LIMP29FD30

LIMP23FD30

Height/Width/ Product Thickness mm Code

1981 610 35 **LIMP20**

1981 686 35 **LIMP23**

1981 762 35 **LIMP26**

1981 838 35 **LIMP29**

PRIMED



Height/Width/ Product Thickness mm Code

1981 686 35 **LREG23**

1981 762 35 **LREG26**

1981 838 35 **LREG29**

PRIMED

Regent





- Retro style apertures. Clear flat safety glass
- FSC[®] Certified

Rebated door pairs can be ordered from stock with a short lead time.



FSC[®] Certified Rebated door pairs can

Arcadian

• White primed

• 5 horizontal panels,

grooved into MDF

be ordered from stock

with a short lead time.

• Retro style apertures.

Clear flat safety glass



Product Code
LARC23
LARC26
LARC29

Adelphi



- White primed
- 5 horizontal panels, grooved into MDF
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



ıct Code	

Height/Width/ Product Thickness mm Code PRIMED FIRE DOORS 1981 610 35 LADE20 1981 686 35 **LADE23** 44 LADE23FD30 44 LADE26FD30 1981 762 35 LADE26 1981 838 35 LADE29 44 LADE29FD30

> **Dominion** Bs 📳

White primed

beading

FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

• 5 horizontal panels,

grooved into MDF

Etched flat safety glass

with clear rectangular

pattern and raised



Height/Width/ Product Thickness mm Code

PRIMED 1981 762 35 **LADEBF26** statement with a pocket door system see page 6




Useful Tip:

Make a


For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.

> See more White Contemporary doors overleaf



Adelphi Bi-fold

• White primed • 5 horizontal panels, grooved into MDF • Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track FSC[®] Certified Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.





Oriole



- White primed • MDF face with feature
- grooves Oval shaped aperture.
- Clear flat safety glass • FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

71

Height/Width/ Thickness mm					
PRIM	PRIMED				
1981	686	35	LORI23		
1981	762	35	LORI26		
1981	838	35	LORI29		

Height/Width/ Thickness mm			Thickr mm	ness Product Code
PRIMED			FIRE [DOORS
1981 686	35	LD0M23		
1981 762	35	LDOM26	44	LD0M26FD30
1981 838	35	LDOM29	44	LD0M29FD30

Height/Width/ Product Thickness mm Code Thickness mm Product Code PRIMED FIRE DOORS 1981 610 35 **LECL20** 1981 686 35 **LECL23** 44 LECL23FD30 44 LECL26FD30 1981 762 35 **LECL26** 1981 838 35 **LECL29** 44 LECL29FD30

T: 01283 554197 70 www.jbkind.com





Height/Width/ Product Thickness mm Code

1981 610 35 **LAP020**

1981 686 35 **LAP023**

1981 762 35 **LAP026**

1981 838 35 **LAP029**

PRIMED

Apollo







- MDF face with ladder
- style feature grooves FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Thickness mm Product Code

FIRE DOORS

44 LAP023FD30

44 LAP026FD30 44 LAP029FD30



PRIMED

1981 686 35 **LBAR23**

1981 762 35 **LBAR26**

1981 838 35 LBAR29

Barbican





- Bs White primed
- MDF face with ladder style feature grooves
- Etched flat safety glass with clear rectangular pattern and raised beading
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Thickness mm Product Code

FIRE DOORS

44 LBAR26FD30

44 LBAR29FD30



Fortune








• MDF face with feature grooves

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Heigh Thick		
PRIM	ED	
1981	610	35
1981	686	35
1981	762	35
1981	838	35







- Bs
- Premium primed MDF face with feature grooves

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



			Product Code	Thick mm	ness Product Code
PRIM	ED			FIRE	DOORS
1981	610	35	LLYR20		
1981	686	35	LLYR23	44	LLYR23FD30
1981	762	35	LLYR26	44	LLYR26FD30
1981	838	35	LLYR29	44	LLYR29FD30





- White primed
- Textured effect FSC® Certified

Perfect for painting a contemporary colour.



			Product Code	Thickr mm	ness Product Code	
RIM	ED			FIRE I	DOORS	
981	610	35	RIP20			
981	686	35	RIP23	45	RIP23FD30	
981	762	35	RIP26	45	RIP26FD30	
981	838	35	RIP29	45	RIP29FD30	





- White primed • Textured effect
- Clear flat safety glass, flush beaded
- FSC[®] Certified

Perfect for painting a contemporary colour.



72 T: 01283 554197 73 www.jbkind.com



Make a statement with a pocket door system see page 6 Useful Tip:





For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.



Height/Width/ Product Thickness mm Code

1981 610 35 **QUA20** 1981 686 35 **QUA23**

1981 711 35 **QUA24**

1981 762 35 **QUA26**

1981 838 35 **QUA29**

PRIMED

Quattro





smooth finish with ladder style effect FSC® Certified

Thickness mm Product Code

FIRE DOORS

44 QUA23FD30

44 QUA26FD30 44 QUA29FD30



Heigh Thick			Product Code
PRIM	ED		
1981	686	35	QUA4L23
1981	762	35	QUA4L26
1981	838	35	QUA4L29

Quattro Glazed





- Clear flat safety glass, flush beaded
- FSC[®] Certified



Aster







- Premium primed MDF face with feature
- Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead



			Product Code	Thickr mm	ness Product Code
PRIM	IED			FIRE I	DOORS
981	610	35	LAST20		
981	686	35	LAST23	44	LAST23FD30
981	762	35	LAST26	44	LAST26FD30
981	838	35	LAST29	44	LAST29FD30







- Premium primed MDF face with feature
- Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.









- Premium primed MDF face with feature grooves
- Rebated door pairs can be ordered for

standard stock doors (not fire doors) with a short lead time.



Height/Wio Thickness				kness Product Code
PRIMED			FIRE	DOORS
1981 610	35	LNOV20		
1981 686	35	LNOV23		
1981 762	35	LNOV26	44	LNOV26FD30
1981 838	35	LNOV29	44	LNOV29FD30






- Premium primed
- MDF face with feature

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



			Product Code	Thick mm	ness Product Code
RIM	IED			FIRE	DOORS
981	610	35	LCRI20		
981	686	35	LCRI23	44	LCRI23FD30
981	762	35	LCRI26	44	LCRI26FD30
981	838	35	LCRI29	44	LCRI29FD30

74 www.jbkind.com T: 01283 554197 75








- White primed
- Flat panel with decorative muntings
- FSC[®] Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.





Useful Tip:

For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.

> See more White Classic doors overleaf

> > Edwardian

• White primed

Moulded panel

FSC® Certified

grained effect





- White primed
- Moulded panel grained effect
- FSC[®] Certified







			Product Code	Thickr mm	ness Product Code
PRIM	ED			FIRE I	DOORS
1981	533	35	ED19		
1981	610	35	ED20		
1981	686	35	ED23		
1981	762	35	ED26	44	EDHH26
1981	838	35	ED29	44	EDHH29
2032	813	35	ED28	44	EDHH28



Height/Width/ Product Thickness mm Code

1981 686 35 **CTRI23**

1981 762 35 **CTRI26**

1981 838 35 CTRI29

PRIMED

Height/Width/ Product Thickness mm Code

1981 610 35 **CJAM20**

1981 686 35 **CJAM23** 1981 762 35 **CJAM26**

1981 838 35 **CJAM29**

PRIMED

Trinidad

- White primed
- Decorative muntings

Thickness mm Product Code

44 CJAM23FD30 44 CJAM26FD30

44 CJAM29FD30

FIRE DOORS

- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.



Height/Width/ Product Thickness mm Code

PRIMED

1981 686 35 **CAPAND23** 1981 762 35 **CAPAND26** 1981 838 35 CAPAND29

Andorra



- White primed
- Moulded panel grained effect
- Etched flat safety glass with clear rectangular pattern and flush beading
- FSC[®] Certified



• White primed

 Moulded panel grained effect


Edwardian 2 Light

- Etched flat safety glass with clear diamond pattern lines and flush beading
- FSC[®] Certified

Height/Width/ Product Thickness mm Code

PRIMED 1981 686 35 **EDGLS23** 1981 762 35 **EDGLS26** 1981 838 35 EDGLS29

www.jbkind.com 76 T: 01283 554197 77



Decima





- Clear bevelled safety glass with brushed chrome camings and raised perimeter beading
- FSC® Certified

Height/Width/ Product Thickness mm Code

1981 686 35 CCAPDEC23

1981 762 35 CCAPDEC26

1981 838 35 CCAPDEC29

PRIMED



Height/Width/ Product Thickness mm Code

1981 686 35 **DEC23**

1981 762 35 **DEC26**

1981 838 35 **DEC29**

PRIMED

Decca



- grained effect • Clear flat safety glass
- with etched lines and flush beading
- FSC® Certified



• White primed

Moulded panel

grained effect

• Easy to install into

existing frames,

supplied ready hinged

with pivots, brackets

and a sliding track

FSC[®] Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to

accommodate tracking.

Height/Width/ Product Thickness mm Code

PRIM	ED		
1981	762	35	COLBF26
1981	914	35	COLBF30



Colonist

- White primed
- Moulded panel grained and smooth effect
- FSC® Certified



Height/W	ıdth/	Product	Ihick	ness
Thickness	s mm	Code	mm	Product Code
PRIMED	GRAIN	IED	FIRE	DOORS
1981 381	35	C0L13**		
1981 457	35	C0L16**		
1981 533	35	C0L19**		
1981 610	35	COL20	44	COLHH20
1981 686	35	COL23	44	COLHH23
1981 711	35	COL24		
1981 762	35	COL26	44	COLHH26
1981 838	35	COL29	44	COLHH29
2032 813	35	COL28	44	COLHH28
2040 526	40	COL526		
2040 626	40	C0L626		
2040 726	40	C0L726	44	COLHH726
2040 826	40	C0L826	44	COLHH826
2040 926	,		44	COLHH926
PRIMED :	SM00	TH	FIRE	DOORS
1981 457	35	SMC0L16**		
1981 533	35	SMC0L19**		
1981 610	35	SMC0L20		
1981 686	35	SMC0L23	44	SMC0LHH23
1981 762	35	SMC0L26	44	SMC0LHH26
1981 838	35	SMC0L29	44	SMC0LHH29
2032 813	35	SMC0L28	44	SMC0LHH28
**3 Pane	l			

Important:

PRIMED

2040 726 40 CLA726 2040 826 40 **CLA826**

Height/Width/ Product Thickness mm Code

1981 610 35 **CLABF20**

1981 762 35 CLABF26

Moulded panel doors are vulnerable to high humidity. Make sure plasterwork etc. has been allowed to dry out sufficiently before fitting them in new or refurbished homes.

Make a statement with a pocket door system see page 6



See more White Classic doors overleaf

Classique



- White primed • Moulded panel grained effect
- FSC® Certified



• White primed • Moulded panel grained effect

Classique 6 Light

- Clear flat safety glass
- with flush beading
- FSC[®] Certified



Height/Width/ Product Thickness mm Code 1981 533 35 CLA19 1981 610 35 CLA20 1981 686 35 CLA23 1981 711 35 CLA24 44 CLAHH26 1981 762 35 CLA26 1981 838 35 CLA29 44 CLAHH29 2032 813 35 CLA28

Classique Bi-fold



- White primed Moulded panel grained effect
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC[®] Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.



Classique 6 Light Pairs



- White primed
- Moulded panel grained effect • Clear flat safety glass with flush beading
- Rebated meeting
- stiles, right hand open away FSC® Certified

Height/Width/ Product Thickness mm Code

PRIMED 1981 1220 35 **CLAGLSPR40**

T: 01283 554197 78 www.jbkind.com 79





Height/Wio			Thick	ness Product Code
PRIMED G			FIRE	DOORS
1981 457	35	CAN16*		
1981 533	35	CAN19*		
1981 610	35	CAN20	44	CANHH20
1981 686	35	CAN23	44	CANHH23
1981 711	35	CAN24		
1981 762	35	CAN26	44	CANHH26
1981 838	35	CAN29	44	CANHH29
2032 813	35	CAN28	44	CANHH28
2040 526	40	CAN526		
2040 626	40	CAN626		
2040 726	40	CAN726	44	CANHH726
2040 826	40	CAN826	44	CANHH826
2040 926			44	CANHH926
PRIMED S	M00	TH	FIRE	DOORS
1981 610	35	SMCAN20	44	SMCANHH20
1981 686	35	SMCAN23	44	SMCANHH23
1981 762	35	SMCAN26	44	SMCANHH26
1981 838	35	SMCAN29	44	SMCANHH29
2032 813			44	SMCANHH28
2040 926			44	SMCANHH926
*2 Panel				

Faro

 White primed • Moulded panel

grained effect

FSC® Certified

FARO FD30

Height/Width/ Product

1981 686 35 CAPFAR23

1981 762 35 CAPFAR26 1981 838 35 CAPFAR29

PRIMED

Clear flat safety glass

with flush beading

Clear flat safety glass

with etched lines and

Thickness mm Product Code

44

44

FIRE DOORS (see above)

CAPFAR26FD30

CAPFAR29FD30

raised perimeter beading



Canterbury 2 Light

- $grained \ \ and \ smooth$ effect
- safety glass with clear



Height/Width/ Product Thickness mm Code

PRIMED GRAINED FIRE DOORS 1981 762 44 CANGL26FD30 1981 838 44 CANGL29FD30

Make a

Important:

statement

with a pocket

see page 6

Moulded panel doors are vulnerable to high

humidity. Make sure plasterwork etc. has

been allowed to dry out sufficiently before fitting them in new or refurbished homes.

door system

Adding the

see page 90

Canterbury

2 Light FD30

White primed

Moulded panel

FSC® Certified

grained effect

• Clear flat fire glass

with raised beading

faishing touch...

Height/Width/ Product Thickness mm Code PRIMED GRAINED ETCHED GLASS 1981 686 35 CANGL23 1981 762 35 CANGL26 1981 838 35 CANGL29 2032 813 35 CANGL28 2040 726 40 CANGL726 PRIMED SMOOTH CLEAR GLASS 1981 686 35 SMCANGLC23

Canterbury Bi-fold



1981 762 35 SMCANGLC26 1981 838 35 **SMCANGLC29**

- White primed
- Moulded panel grained effect
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold





Canterbury

Glazed Bi-fold

- White primed
- Moulded panel grained effect
- Etched flat safety glass with clear diamond pattern lines and flush beading
- Easy to install into existing frames, supplied ready hinged with pivots,
- brackets and a sliding track FSC[®] Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.


Height/Width/ Product Thickness mm Code





PRIMED 1981 762 35 **CANBFGLT26**

T: 01283 554197 81 80 www.jbkind.com



Axis White Ripple





- White primed
- Textured ripple effect centre panel
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Height/Width/ Thickness mm		Thickness mm Product Code
PRIMED		FIRE DOORS
1981 610 35	SAXIRIP20	
1981 686 35	SAXIRIP23	44 SAXIRIP23FD30
1981 762 35	SAXIRIP26	44 SAXIRIP26FD30
1981 838 35	SAXIRIP29	44 SAXIRIP29FD30

Axis White



- White primed
- Wide shaker panel design
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Axis White is also available in Oak and Walnut, see pages 38 & 53.



			Product Code	Thick mm	ness Product Code	
PRIM	ED			FIRE	DOORS	
1981	610	35	SAXI20			
1981	686	35	SAXI23	44	SAXI23FD30	
1981	762	35	SAXI26	44	SAXI26FD30	
1981	838	35	SAXI29	44	SAXI29FD30	

Axis White Bi-fold



- White primed
- Easy to install into existing

Please note that the door to accommodate tracking.

Height/Width/ Product Thickness mm Code PRIMED

1981 762 35 **SAXIBF26**



White primed

Axis White

- Wide shaker panel design
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Axis White Glazed is also available in Oak and Walnut, see pages 38 & 53.



Height/Width/ Product

Thickness mm Code				
PRIMED				
1981	686	35	SAXI23G	
1981	762	35	SAXI26G	
1981	838	35	SAXI29G	





- Wide shaker panel design
- frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

opening size is listed and that the actual bi-fold supplied is slightly smaller



Axis White Glazed Bi-fold



- White primed
- Wide shaker panel design Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- Clear flat safety glass
- FSC[®] Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Product Thickness mm Code

PRIMED 1981 762 35 **SAXIBFG26**

Make a statement with a pocket door system see page 6



Useful Tip:

When finishing a primed glazed door, ensure that the paint and peel protective film is kept in place, until the door is completely dry.


> See more White Shaker doors overleaf

Eccentro



- White primed • Wide shaker panel design
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.



Eccentro Glazed



- White primed • Wide shaker panel
- design Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.



Height/Width/ Product Thickness mm Code

PRIMED

1981 686 35 **SECC23G** 1981 762 35 **SECC26G** 1981 838 35 **SECC29G**

82 T: 01283 554197 83 www.jbkind.com









- White primed
- Wide shaker panel design
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

statement with a pocket door system

see page 6




Useful Tip:

Make a

For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.

> See more White Shaker doors overleaf







Tobago



- White primed
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.

Tobago Bi-fold

• Clear flat safety glass

• Easy to install into

existing frames,

White primed

Height/Width/ Product Thickness mm Code	Thickness mm Product Code
PRIMED	FIRE DOORS
1981 686 35 CTOB23	
1981 762 35 CTOB26	44 CT0B26FD30
1981 838 35 CTOB29	44 CT0B29FD30
	Thickness mm Code PRIMED 1981 686 35 CT0B23 1981 762 35 CT0B26

1981 610 35 **SGE020** 1981 686 35 **SGE023** SGE023FD30 1981 762 35 **SGE026** 44 SGE026FD30 1981 838 35 **SGE029** 44 SGE029FD30

Height/Width/ Product Thickness mm Code

Height/Width/ Product Thickness mm Code

1981 686 35 **SGE023G** 1981 762 35 **SGE026G**

1981 838 35 **SGE029G**

PRIMED

PRIMED

Geo Glazed

Thickness mm Product Code

FIRE DOORS



- White primed
- Wide shaker panel design
- Clear flat safety glass
- FSC[®] Certified

Rebated door pairs can be ordered from stock with a short lead time.



Height/Width/ Product Thickness mm Code

1981 610 35 CANTI20

1981 686 35 CANTI23

1981 762 35 CANTI26

1981 838 35 **CANTI29**

PRIMED

Height/Width/ Product Thickness mm Code PRIMED

1981 762 35 CANTIBF26





• Full recessed panels

Antigua Bi-fold

- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.



Height/Width/ Product Thickness mm Code PRIMED

1981 762 35 **CTOBBF26**

supplied ready hinged with pivots, brackets and a sliding track FSC® Certified Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

www.jbkind.com 84 T: 01283 554197 85








- White primed
- FSC® Certified

be ordered from stock with a short lead time.



Height/Width/ Product Thickness mm Code

PRIMED

1981 686 35 CAUR23 1981 762 35 CAUR26 1981 838 35 CAUR29


Montserrat





- Four recessed panels
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead time.





Montserrat Bi-fold



- White primed
- Recessed panels
- Easy to install into existing frames, supplied ready hinged with pivots, brackets and a sliding track
- FSC® Certified

Please note that the door opening size is listed and that the actual bi-fold supplied is slightly smaller to accommodate tracking.

Height/Width/ Product Thickness mm Code

PRIMED

1981 762 35 CMONBF26

Aurora Glazed



- White primed
- Retro sunshine door
- Clear flat safety glass
- FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

Make a statement with a pocket door system see page 6 Adding the faishing touch... see page 90

Useful Tip:

When finishing a primed glazed door, ensure that the paint and peel protective film is kept in place, until the door is completely dry.

Height/Width/ Product Thickness mm Code

PRIMED

1981 762 35 CAUR26G

Height/Width/ Product Thickness mm Code

1981 686 35 **CCAY23**

1981 762 35 CCAY26

1981 838 35 **CCAY29**

PRIMED

Cayman



- White primed
- FSC[®] Certified



- Clear flat safety glass

Rebated door pairs can be ordered from stock with a short lead time.



Barbados



- White primed
- Two recessed panels
- FSC® Certified

Rebated door pairs can be ordered for standard stock doors (not fire doors) with a short lead





Clear flat safety glass

Dominica

• FSC® Certified

Rebated door pairs can be ordered from stock with a short lead time.

87



Height/Width/ Product Thickness mm Code

1981 838 35 CDOMI29

PRIMED

1981 686 35 **CDOMI23** 1981 762 35 **CDOMI26**

• FSC® Certified Please note that the door opening size is listed and that the actual bi-fold

supplied is slightly smaller

to accommodate tracking. Height/Width/ Product Thickness mm Code

PRIMED

Cayman

Bi-fold

White primed

Clear flat safety glass


• Easy to install into existing

frames, supplied ready

hinged with pivots, brackets and a sliding track

1981 762 35 CCAYBF26

86 T: 01283 554197 www.jbkind.com







- White primed
- Grooved centre panel is full door thickness
- FSC[®] Certified

Make a statement with a pocket door system see page 6



Cottage 1 Light

White primed

• Moulded panel

grained effect

• Clear flat safety glass

with etched lines and flush beading FSC® Certified

Useful Tip:

For a better finish on any primed door we recommend a light sanding to remove any nibs or marks prior to finishing.





Phoenix



- White primed
- Grooved panel effect
- Clear flat safety glass with raised beading
- FSC® Certified



			Product Code	Thick mm	ness Product Code
PRIM	ED			FIRE	DOORS
1981	610	35	MCOT520		
1981	686	35	MCOT523	44	MCOT523FD30
1981	762	35	MCOT526	44	MCOT526FD30
1001	838	35	MCOT529	/1/1	MCOT529FD30

Cottage 5



- White primed • Moulded panel
- grained effect
- FSC® Certified



	Height/Width/ Product Thickness mm Code		
PRIM	PRIMED		
1981	686	35	MC0T51L23
1981	762	35	MC0T51L26
1981	838	35	MC0T51L29

www.jbkind.com T: 01283 554197 89

Height/Width/ Product Thickness mm Code PRIMED 1981 686 35 **LPH023** 1981 762 35 **LPH026** 1981 838 35 **LPH029**




the perfect partner for your JB Kind doors

Enjoy the convenience of a stylish door handle latch pack, supplied with everything that you need to fit your door in one box.

Each pack comes with a pair of handles, a smartlatch, a choice of keeps and three quality stainless steel ball bearing hinges.




Smartlatch: Fit in under five minutes



Step one: Using a 25mm drill bit. bore out to 75mm in depth.



Step two: Using the same bit, drill the hole for the spindle.



Step three: Then simply insert the latch.



Privacy latch packs with revolutionary push button, available in all handle styles. No requirement to purchase or fit a separate bathroom lock.



With a 10 year parts and mechanism guarantee, the premium stainless steel and zinc diecast construction provides that all important peace of mind.

Please note: the hinges provided in our latch packs are not suitable for use with fire doors. Fire door hinges are available separately, call 01283 554197 for details.







Roller

Polished and satin chrome finish

STANDARD LATCH PACK PRIVACY LATCH PACK



Wave

Polished chrome finish

STANDARD LATCH PACK PRIVACY LATCH PACK



Curl

Polished chrome and satin nickel finish

STANDARD LATCH PACK PRIVACY LATCH PACK ICURLP



Blade

Satin chrome finish

STANDARD LATCH PACK PRIVACY LATCH PACK



Polished chrome and satin nickel finish

STANDARD LATCH PACK PRIVACY LATCH PACK



Tube

STANDARD LATCH PACK PRIVACY LATCH PACK ITUBLP ITUBPP

www.jbkind.com T: 01283 554197 91



Our External Extreme door range has revolutionised the replacement front door market! Constructed with an exceptionally durable and dimensionally stable top layer of MEDITE®TRICOYA®EXTREME and sealed with a factory applied paint finish, ensuring that the doors can withstand all weathers – and to illustrate just how confident we are, we issue every External Extreme door with a 10 year guarantee!

External Extreme doors are perfect for painting your own chosen colour and all glazed doors are fitted with Pilkington™ double glazed units. Easily fitted by a competent joiner into an existing or new wooden door frame, homeowners will have confidence that External Extreme will be a long lasting, reliable exterior door option.





DURABLE Longer lasting, perfect for external use.



SUSTAINABLY SOURCED FSC® Certified. Wood used from sustainable sources.



LOWER MAINTENANCE COSTS Extended periods between exterior coatings maintenance.

Traditionally used for cladding and facias, MEDITE®TRICOYA®EXTREME's hard-wearing and weather resistant properties make it perfect for use within the structure of external doors.



PERFECT FOR COATING

Improved stability and durability enhances service life of the coating. Damaged coating will not affect the core.



ENHANCED STABILITY Swelling and shrinking dramatically reduced.



RESISTANT TO FUNGAL DECAY Effective barrier to fungal decay.

Tigris Extreme

- Pre-finished White
- Composite core
- Grooved, 5 ladder style panels
- Weather bar included
- FSC® Certified
- U Value 1.4

See more External Extreme doors overleaf

Tigris Glazed Extreme

- Pre-finished White
- Composite core
- Grooved, 5 ladder style panels
- Pilkington[™] opal flat glass double glazed unit
- Weather bar included
- FSC® Certified
- U Value 1.6



Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 838 44 **EXTIG29G**

Height/Width/ Product Thickness mm Code PRE-FINISHED

1981 838 44 EXTIG29





Please refer to jbkind.com for further details



Although supplied pre-finished, our External Extreme doors are perfect for painting your chosen colour.



Height/Width/ Product Thickness mm Code PRE-FINISHED 1981 838 44 **EXTHA29**

Thames Extreme

- Pre-finished White
- Composite core
- Grooved cottage style panel effect
- Weather bar included FSC® Certified
- U Value 1.4



Height/Width/ Product Thickness mm Code PRE-FINISHED 1981 838 44 **EXTHA29G**

Thames **Glazed Extreme**

- Pre-finished White
- Composite core
- Grooved cottage style panel effect
- Pilkington™ clear flat glass double glazed unit
- Weather bar included
- FSC[®] Certified
- U Value 1.6



Colonial

4 Panel Extreme

Height/Width/ Product Thickness mm Code

PRE-FINISHED 1981 838 44 **EX4P29**



glazed unit

Height/Width/ Product Thickness mm Code PRE-FINISHED 1981 838 44 **EX4PTL29**

Colonial 4 Panel 2XG Extreme **Glazed Extreme** • Pre-finished White

- Composite core • Pre-finished White
 - - Raised panel
 - Pilkington™ clear flat glass double glazed unit
 - Weather bar included
 - FSC® Certified
 - U Value 1.8



Height/Width/ Product Thickness mm Code

PRE-FINISHED

1981 762 44 **E2XG1P26G** 1981 838 44 **E2XG1P29G**

www.jbkind.com T: 01283 554197 95

Internal Door Accessories

Oak Door Linings, Architraves and Skirtings – Boxed Sets

Constructed with a solid engineered core and faced with oak veneer. Each set is sufficient for most standard door sizes, available both varnished and unvarnished.



SIZE (MM)	VARNISHED	UNVARNISHED
30 x 108	ODL108V	ODL108
30 x 133	ODL133V	ODL133
Each pack is suffici	ent for a single do	or

2 pieces 2100mm - Jambs 1 piece 1050mm - Head Stops - 12 x 45mm, 2 pieces 2100mm, 1 piece 1050mm



Architraves

SIZE (MM)	VARNISHED	UNVARNISHED
18 x 69	OARC69V	OARC69
Each pack is suffici	ent for both sides	of one door
Contents per box:		
4 pieces 2200mm	2 pieces 1200mr	m lengths



Skirting

SIZE (MM)	VARNISHED	UNVARNISHED	
18 x 144	0SK144V	0SK144	
Contents per b	ox:		
4 pieces 3000m	nm lenaths		

Pair Maker



Pair Maker

SIZE (MM)	PRODUCT CODE	
UNVARNISHED		
2100mm	OPRMAKER37	(to suit 35mm door)
2100mm	OPRMAKER42	(to suit 40mm door)

Modern Architrave

The perfect complement for your doors. Veneered on MDF and supplied with sufficient lengths to fit both sides of most standard internal door sizes.

Modern Architrave

Modern Architrave				
SIZE (MM)	VARNISHED	UNVARNISHED		
ARCHITRAVES				
(box quantity for 2 s	sides single leaf)			
	OCLRA70V	OCLRA70		
Contents per box:				
4 pieces 2200mm - Jambs 70 x 20mm				
2 pieces 1100mm -	Heads 70 x 10mm			



Sovereign Sets

The ultimate embellishment for enhancing oak or painted internal doors in both unfinished and prefinished oak, veneered on MDF. Two different head sizes are offered to suit both single leaves and pairs.

Architrave Sets

SIZE (MM)	VARNISHED	UNVARNISHED
1100	RPS0V011	RPS0V011-0U
1800	RPS0V022	RPS0V022-0U
Contents per box: s	sufficient for one sid	de of a door
2 jambs	1 head	
2 corner blocks	2 plinth blocks	



For a perfect finish...

Applying a quality finish to your internal doors ensures their long term appearance and performance.

We recommend the following finishing products that have been tested on our unfinished oak internal doors with excellent results.



Clear, water based varnish that is available in 4 sheen levels.





Please refer to **www.mannsuk.com** for more information and to purchase these products directly.

exposure to moisture or dryness. Having left our custody, we have no control over the conditions to which they are subjected and to avoid any subsequent cause for disappointment, we strongly advise the following advice is heeded. If suitable care and treatment is not taken to prevent the free passage of moisture either into or out of the wooden door, stresses within timber may be released resulting in movement or distortions such as swelling, shrinking, warping, splitting, twisting or even discolouration. We are unable to accept any liability for any failings where they have arisen due to the free passage of moisture.

The principal enemy of timber doors is excess

Storage

Upon receipt, check your doors carefully for condition and suitability, as claims made later may not be considered. Please store doors laid flat, fully supported off the floor with at least three full width bearers of the same dimension in a dry fully ventilated area, with protective packaging intact. Doors supplied unfinished should be thoroughly sealed on all faces and edges prior to the commencement of any joinery work, although first sizing them may be to advantage. We recommend that veneered doors are sealed using Manns Extra Tough Interior Varnish or Manns Door oil.

Wood finishes

There are numerous brands on the market and we fear many are formulated to achieve a low market price rather than quality. We have tested Manns Extra Tough Interior Varnish and Manns Door Oil which have produced excellent results. For this reason we strongly recommend the use of one of these two finishes to help protect the guarantee. Either of these two finishes will provide a lasting seal between component parts. Good quality solvent or acrylic finishes may be used, but check they are suitable for use with timber laminates or veneers. Follow the treatment manufacturer's instructions carefully and avoid over applying the treatment, particularly the first coat.

We recommend keeping a copy of the claims made for the product in the event it fails to perform. It is vital all finishing systems are applied equally to both sides and edges at the same time. Rapid changes in ambient moisture are extremely detrimental especially when unbalanced.

Natural oils such as Danish oil, tung oil and linseed oil are not suitable for use with any of our products. These solutions are penetrating oils and are not suitable for use with veneered doors. The application of a base coat stain or paint primer alone is not deemed to form a seal. Failures related to treatment will be assessed based on their application and the claims made by their manufacturer.

Installation

Check the door for suitability prior to commencing work. Claims made later may not be considered. When trimming doors, reduce them equally and not excessively from the top and bottom for height, to the hanging edge only for the width, if minimal, but equally with the meeting edge if a greater amount is necessary.

Recesses for hinges (3 No. 75mm internal, 3 No. 100mm external) and mortises for latch / locks etc. should be cut to the minimum recommended sizes. Panel door mortises should not be located at rail joints as this may significantly weaken them. On completion remove doors, taking off all ironmongery and treat every cut / untreated surface liberally with a number of coats of an appropriate treatment before finally refitting. Remember to pay particular attention to all edges of your door, particularly any exposed end grain where the propensity for the free passage of moisture is much greater.



Installation - Fire doors

When fitting our FD30 fire doors, please note that there are strict limitations about how much they can be trimmed and these must not be exceeded. Ironmongery used in the installation of fire doors must be strictly in accordance with the door's certification and appropriate for use with a fire door.

Internal door specific

We strongly advise against the installation of all types of timber doors into a building with recent plastered or screeded areas. Wet sites with enclosed unheated buildings represent extremely detrimental environments and must be thoroughly dry, without condensation, before doors are introduced. Even our pre-finished doors should not be exposed to inappropriate damp site conditions.

External door specific

Even in times past, it was never advisable or intended that timber entrance doors be fully exposed to the worst elements of our climate, even if well coated. A South / South Westerly elevation is the worst direction for the prevailing weather and exposure to the hottest sun which can seriously degrade external doors.

We recommend they are set back from the front face of the building or covered by a canopy or porch way projecting not less than about 1.5m, regardless of elevation. Always fit with a suitable weatherboard regardless of frame cill type fitted, to prevent droplets of moisture hanging from the door bottom.

Future maintenance is most important to retain good appearance over many years and we recommend washing down with warm water and detergent every two to three years and re-coating.

Quality standards

All external and internal doors are supplied in accordance with BS EN 942:2007 "Timber in Joinery General Classification of Timber Quality", BS 5278:1976/EN25:1975 "Doors measurement of Dimensions and of Defects of Squareness of Door Leaves" and BS EN 951:1999 "Door leaves. Method for measurement of height, width, thickness and squareness".

Any claims against warranty relating to manufacture will be assessed strictly in accordance with the criteria contained within.

Any claims against warranty relating to storage, handling or installation of any of our doors will be assessed against guidelines contained within BS8000 part 5:1990 and British Standard Code of Practice CP151. JB Kind Terms and Conditions of Trading apply.

Safety Glas

To comply with building regulations all our pre-glazed doors meet the requirements of the European standards.

IMPORTAN

Wood is a natural material and variations in colour and graining should be expected. Note: With door pairs we cannot guarantee an exact veneer match.

Colours depicted are representative only and are reproduced as accurately as the printing process will allow

We reserve the right to make alterations or modify specifications without notice. Errors and omissions excepted.



96 www.jbkind.com T: 01283 554197 97

Fire Door Information

Fire doors are a serious business, and that's why we invest our time, energy and money to ensure that we have one of the most comprehensive, and accredited, collections of fire doors in the UK.

Certificated Fire Doors

Many of the fire doors in this catalogue are certified within the BWF-CERTIFIRE scheme and the products where this applies are endorsed with the logo. BWF-CERTIFIRE certification validates these products suitable for use as fire doors and provides the means to independently authenticate the quality and performance of the doors to which this applies.


For more information on the BWF-CERTIFIRE scheme, visit jbkind.com



All of our fire doors have a Fire Test
Assessment report which is available
upon request and outlines in detail exactly
what you can and can't do when fitting
any particular door. All fire doors are
glazed with fire-rated glass.

FD30 fire door pairs: please note that not all FD30 fire doors offered within this brochure are certificated for use as pairs. Please contact us for more information.

For more information on fire doors, including details on Glazed Fire Doors & Part M (Mobility) visibility requirements, log on to jbkind.com or call 01283 554197.



FD30 FIRE DOORS - AT A GLANCE

Virtually every JB Kind door range offers an FD30 fire door option from stock, including some glazed fire doors too.

Our bespoke service means that alternative designs, special sizes and glazed designs can also be made to order if required.

Fire door

keep shut

Take a look below to see which fire door options are available by range. Look out for the 🕐 logo adjacent to product images.

	Solid FD30 Fire Doors		Glazed FD30 Fire Doors	
	AVAILABLE FROM STOCK	BESPOKE FD30	AVAILABLE FROM STOCK	BESPOKE FD30
Oak Contemporary	✓ all designs	✓ all designs	✓ Emral Oak (p17) ✓ Blenheim (p25)	✓ all designs excluding Bela and Sol Glazed
Oak Classic	✓ all designs	✓ Royale designs only	✓ Royale 12-6VM (p29)	✓ Royale designs only
Oak Shaker	✓ all designs	N/A	N/A	N/A
Oak Cottage	✓ all designs excluding Rustic Oak	✓ Thames Original (p43) ✓ Cherwell (p44)	N/A	✓ Cherwell Glazed (p44)
Walnut	✓ all designs	✓ all designs excluding Axis	N/A	✓ all designs excluding Axis Glazed
Laminates	✓ all designs	N/A	N/A	N/A
Painted Finish	✓ all designs	✓ all designs	N/A	✓ all designs
White Contemporary	✓ all designs	✓ all designs excluding Imperial, Eclipse, Quattro, Ripple	✓ Dominion (p71) ✓ Barbican (p72)	✓ all designs excluding Arcadian, Regent, Oriole, Quattro, Ripple
White Classic	✓ all designs	N/A	✓ Faro (p81) ✓ Canterbury 2 Light (p82)	N/A
White Shaker	✓ all designs excluding Aurora	N/A	✓ Tobago (p85)	N/A
White Cottage	✓ all designs	N/A	N/A	N/A

NB Bi-fold doors are not available as a fire door

Our doors can be ordered from Builders Merchants and Door Retailer partners across the UK and buying your JB Kind doors is now even easier with our online **Supplier Locator**. Just go to **www.jbkind.com** and put in your postcode to find the closest retailer to you – we also tell you which outlets have JB Kind door displays so you can take the time to go and experience just how fabulous our doors really are!

If you already know exactly what you want and you like the ease of ordering online, then just pop onto the website and check out the buy online section with links to our approved **Online Partners** - then you're just a click away from receiving your dream doors.



Visit our Showroom

Located in Swadlincote,
Derbyshire, you are invited to touch
and feel our products at first hand
- we're sure you'll be impressed.

In early 2018 our showroom is being fully refurbished and you will be able to view over 70 doors on display, including one of our double pocket door systems.

Please call 01283 554197 to make an appointment or complete our online showroom appointment form. Alternatively, we have many partners throughout the UK with our doors on display, so please consult us for the closest to you or visit our online Supplier Locator.





JB Kind Limited

Portal Place, Astron Business Park, Hearthcote Road, Swadlincote, Derbyshire DE11 9DW T: **01283 554197** F: 01283 554182 E: info@jbkind.com

